INDEX

(New genera, species, etc., are printed in *italics*. Page numbers of principal entries also in *italics*)

abbreviatus, Laptorhaptus, 364
Physoconops, *174*, 185
abditavicularis, Smittina, 279, *285*, 293
abdominalis, Belyta, *410*
Ceraphron, 368
abnormis, Ceraphron, *326*
Mirotelenomus, *371*
Abothropria, *322*
nigra, *322*
abranchiata, Leaena, 536, 537, 539, 545, 546, *575*
abrupta, Hemilexomyia, *358*
abruptus, Conops, 176
Physoconops *176*, 177, 178, 184
Acanalonia, 23, 24, 25, *37*
agilis, 25
bonducellae, *39*, 42, 46 (fig.)
hewanorrae, *40*, 42, 47 (fig.)
plana, 25, *38*, 42, 47 (fig.)
robusta, 25, *37*, 42, 47 (fig.)
servillei, 25, 37
theobromae, *41*, 42, 46 (fig.)
viriditerminata, 23, 25, *38*
viriditerminata *muscosa*, *39*, 42, 47 (fig.)
virditerminata, *sylvestris*, *38*, 42, 47 (fig.)
viriditerminata viriditerminata, 42, 47 (fig.)
Acanella, 216
Acanopsilus, *322*
clavatus, *322*
Acanosema, *322*
rufum, *322*
Acanthinevania, *322*
Acanthobetyla, *322*
mirabilis, *322*
Acantholapitha, *322*
nigrocollis, *322*
Acanthomiota, *323*
oxylaboides, *323*
Acanthopria, *323*
crassicornis, *323*
Acanthopsilus, *323*
Acanthoscelio, 320, *323*
americanus, *323*
Acanthoscelis, 320
Acanthoserphus, *323*
albicoxa, *323*
Acanthoteleia, *323*
nigriclavis, *323*
acaroensis, Smittina, 305, 306, 307, 312
Acerota, *323*
caryae, *323*
evanescens, 323
Acidopria, *324*
variicornis, *324*
Acidopsilus, *324*
longicornis, *324*
Aclista, 320, *324*, 328, 379, 409
holotoma, *327*
Aclistoides, *324*
retractus, *324*
Aclysta, 320
Acoloides, *324*, 393
saitidis, *324*
Acolomorpha, *324*
minuta, *324*
Acolus, *324*, 359
bidentatus, *347*
opacus, *324*, *329*
piceiventris, 324
xanthogaster, 324, *393*
acolutha, Loxotropa, 366
Aconops, 161, 163, 165, 172, *173*
pallipes, 172
syrphoides, 174
subg., *173*, 174
Acoretus, *325*
scutellaris, *324*
Acotylea, *66*
Acropiesta, *325*
flavicauda, *325*
collaris, 325
Actinocyclus moniliformis, 145
undulatus, 144
acuflavida, Sterna, 89
Thalasseus sandvicensis, 88, 89
aculeocaudata, Leptochela, 6
Acutibaeus, *325*
bellicosus, *325*
acuticornis, Plastomicrops, *335*
acutifrons, Ampharete, 534, 545, *572*
Adelioneiva, *325*
concolor, *325*
Adeliopria, *325*
longii, *325*
Adenoplana, 70
Adeonella sp., 227
Aegyptoscelio, *325*
frequens, *325*

451635—58——2

affinis, Flabelligera, 534, 536, 541, 543, *563*
affinus, Flabelligera, 563
afra, Evania, *391*
Sisyra, 462
Afrevania, *325*
leroyi, *325*
africana, Ledouxopria, *364*
agilis, Acanalonia, 25
aggregata, Plexaura, 212
Rumphella, 212
Aglaophamus, *557*
malmgreni, 535, 538, 539, 543, 546, *557*
Agonophorus, *326*
Aholcus, *326*
monticola, *326*
Alacinus, 320
Alaptus, 349
alba, Spongilla, 444
albicoxa, Acanthoserphus, *323*
albidipes, Trichoteleia, *405*
albifasciatus, Austroserphus, *334*
albifrons, Sterna albifrons, 87
albipes, Dilapitha, *346*
Alcyonacea, *207*
Alconyiidae, *207*
Alcyonium pachyclados, 207
tuberculosum, 207, 208
Aleria, *326*
flavibarbis, *326*
aleurodinis, Amitus, *327*
aleurodis, Elaptus, *349*
alexandri, Autolytus, 535, 543, *555*
aliena, Amblyaspis, 327
Alitta virens, 556
Allogryon, *326*
Allomicrops, *326*
Allophanurus, *326*
Alloteleia, *326*
appendiculata, *326*
Allotropa, *326*
Alpheidae, 1, *13*
alternata, Amathia, 227
alticola, Probelyta, *388*
alticollarita, Smittina, *287*, 291
alutaceus, Megaspilus, *343*
Amathia alternata, 227
Amblyaspis, *326*
aliena, 327
flavosignatus, *391*
verticillatus, *405*
Amblyconus, *327*
quadridens, *327*
Amblyscelio, *327*
striaticeps, *327*
americana, Trisacantha, *406*
americanus, Acanthoscelio, *323*
Aphanomerus, *402*
Trimorus, *392*
amissa, Sisyra 523
Amitus, *327*, 349
aleurodinis, *327*
corni, 327
Ammotrypane limacina, 567
amondseni, Gattyana, 533, 542, 551, *552*
Nychia, 552
Ampharete, 571, *572*
acutifrons, 534, 545, *572*
arctica, 533, 545, *572*
finmarchica, 572
gracilis, 572
groenlandica, 572
setosa, 572
Ampharetidae, 545, *571*
amphibola, Planocera, 78
amphibolus, Stylochus, 77
Amphiscepa plana, 38
Amphitrite plumosa, 563
Anaitides, *553*
mucosa, 553
subg., 553
Anaitis kosteriensis, 554
wahlbergi, 554
subg., 554
analis, Euchone, 536, 545, 577, *578*
Anaclista, *327*
Anacoryphe, *327*
orchymonti, *327*
Anaulacus, *327*, *399*
andriciphilus, Xestonotus, *334*, *409*
Anectadius, 327
striolatus, *327*
Anectata, *328*
hirtifrons, *328*
anemotis, Trissevania, *406*
Aneurhynchus, *328*, 329, 371, 372, 373
galesiformis, *328*, *372*
Aneurobaeus, *328*
Aneuron, *328*
anormis, *328*
Aneuropria, *328*
clavata, *328*
Aneuroscelio, *328*
rufipes, *328*
Aneurrhynchus, 328, *329*
Aneurynchus, 328, *329*
angulipenne, Trachelopteron, *404*
angustatus, Phanurus, *384*
angustifrons, Conops, 178
Physoconops, *178*, 180, 183, 186
angustiloba, Melicerita, 252
angustior, Colpoptera maculifrons, *31*, 32, 41, 43 (fig.)
angustus, Conops, 183
Physoconops, *183*, 185
Anisoptera, *329*, 363
egregia, *329*, *363*
annulatus, Psilaulacus, *394*
anomala, Mantibaria, *367*
anomalipes, Sphex, 357
anomalum, Scyphodon, *398*
Anommatium, 320, *329*
ashmeadi, *329*
Anommatrum, 320
Anopedias, *329*
lacustris, 329
obscurus, *329*
tritomus, 329
anoplocnemidis, Epinomus, *351*

anormis, Aneuron, *328*
Anous stolidus, 91
stolidus galapagensis, 90, 91
Anoxylabis, *329*
laticeps, *329*
antarctica, Barentsia, 224, 225
Smittia, 298
Antarctopria, *329*
latigaster, *330*
antennale, Gasteruption, *352*, 361
antennalis, Proteroscelio, *392*
antennatus, Conops, 173, 174
Physoconops, *174*, 185, 186
Psilus, *366*
Anteris, *330*, 334, 404
bicolor, *393*
bilineatus, *330*, *404*
elongata, *391*
nigriceps, *391*
rufitarsis, 330
simulans, 330
virginiensis, 330
Anteromorpha, *330*
australica, *330*
antherene, Neotelenomus, *374*
Anthothelidae, *208*
anthreas, Conops, 183
Physoconops, *183*, 185
anticostiensis, Arcteobia, 533, 534, 540, 542, *551*, 574
Eupolynoë, 551
antillarum, Sterna albifrons, 87, 92
Sterna antillarum, 87
antillensis, Martinica, *367*
Antinoë, *547*
badia, 533, 535, 536, 537, 538, 539, 540, 542, 546, *547*
sarsi, 537, 538, 539, 542, 546, *547*
Antinoëlla badia, 547
subg., 547
antipathes, Euplexaura, 212
Gorgonia, 212, 213
Plexaura, 212, 213
Antropria, *330*
pedestris, *330*
Antroscelio, *330*
lucifugax, *330*
Aparamesius, *330*
carinatus, *330*
Apegus, *331*, 349, 381
leptocerus, *331*
punctatus, *381*
Apegusoneura, *331*
striolatus, *331*
apertus, Rhynchopsikus, *396*
Aphanogmus, *331*
fumipennis, *331*
Aphanomerella, *331*
ovi, *331*
Aphanomerus, *331*
americanus, *402*
bicolor, *331*
Aphanurus, *331*, 370
aphidum, Macrostigma, *366*
aphroditoides, Castalia, 533, 543, *554*
apicalis, Physoconops, *172*, 185
apicalis, Sisyra, 423, 434, 425, 448 (fig.), 459, 460, 462, 467, *471*, 473 (fig.), 476, 478, 511, 518
appendiculata, Alloteleia, *336*
appendigaster, Ichneumon, 353
Sphex, *353*
aptera, Pachyscelidris, *378*
Apteroscelio, *331*
montanus, *331*
apterus, Baeus, *328*
apterygynus, Codrus, 343
aquavivai, Sisyra, 462
Aradophagus, *331*
fasciatus, *331*
aranea, Gelichelidon nilotica, 86
Aratala, *331*
globiceps, *331*
Archaebelyta, *332*
superba, *332*
Archaeoscelio, *332*
rugosus, *332*
Arcteobia, *551*
anticostiensis, 533, 534, 540, 542 *551*, 574
arctica, Ampharete, 533, 545, *572*
Umbonula, 273
arcticus, Aulacus, *347*
Disphaeron, 347
Herpyllobius, 548
areolator, Proctotrupes, *347*, 389
areolaris, Climacia, 423, 424, 427, 428, 429, 430, 431 (fig.), 432, 433 (fig.), 434, 435, 436, 437, 438, 439, 440 (fig.), 442 (fig.), 443, 444, 445, 447, 448 (fig.), 455 (fig.), 464 (fig.), 465 (fig.), 484, 485, *486*, 494, 498, 501
Micromus, 480, 486
areolatus, Metaclisis, *369*
areteformis, Athanas, *21*
argentifacies, Conops, 160, 177
argentinus, Saurocetes, 114
argo, Thionia, 25
argyrosperma, Heteromeyenia, 444
Aritomellus, 320
arizonicus, Conops, 175
armata, Phaedroteleia, *383*
armatus, Ceraphron, *368*
arndti, Sisyra, 434
Artibolus, *332*, 401
Ascopodaria discreta, 224
macropus, 224
ashmeadi, Anommatium, *329*
Ashmeadopria, 320, *332*
Ashmeadopsia, 320
Asoleus, *332*
nigripedius, *332*
Asolenopsia, *332*
rufa, *332*
aspera, Trophonia, 563
asperum, Siphonostomum, 563
Aspidostoma obliquum, 250
assectator, Ichneumon, 354, 355
assimilis, Ophelia, 567, 568
Atelopsilus, *332*
ater, Helorus, *357*

Athanas, 1
areteformis, *21*
crosslandi, 19
dimorphus, 19
djiboutensis, *16*
esakii, 19
haswelli, 20
japonicus, 20
lamellifer, 20
marshallensis, *17*, 18 (fig.), 20
monikoensis, 20
orientalis, 20
ohsimai, 20
polymorphus, 20
stebbingi, 20
tenuipes, 20
atinas, Inostemma, *572*
Atomopria, *332*
rufithorax, *332*
atra, Psilotelcia, *378*
atrata, Pantolyta, *379*
atratulus, Microconops, 160, 184
atriceps, Polydiapria, *387*
Scapopria, *397*
Atrichopria, *333*
rufa, *333*
Atritomellus, 320, *333*
Atritomus, *333*
coccophagus, *333*
Attidae, 445
Aulacidae, 320
Aulacinus, 320, *333*
subg., *333*
Aulacites, *333*
secundus, *333*
Aulacofoenus, *333*
Aulacomastus, 320, *333*, 334
Aulacopria, *333*
formicarum, *333*
Aulacostathus, *333*
Aulacostethus, 333, *334*
rubriventer, 333, 334
Aulacosthethus, 333, *334*
Aulacosthetus, 333, *334*
Aulacus, *334*, 347, 378, 395
arcticus, *347*
editus, *376*
firmus, *376*
moerens, *333*
montanus, *345*
occidentalis, *373*
rufitarsis, *376*
sibiricola, *327*, *399*
striatus, *334*
Aulatopria, *334*
tucumana, *334*
aurantia, Calotelea, *339*
Sterna, 93
auratus, Conops, 163, 167, 170, 171
Echinoteleas, *349*
aurecscutellus, Conops, 180
Physoconops, *180*
aurifrons, Conops, 156
aurocincta, Tetramopria, *403*
aurorae, Sisyra, 462
australica, Anteromorpha, *330*
australis, Pedicellina, 224
Austronia, *334*
nitida, *334*
Austroscelio, *334*
Austroserphus, *334*
albofasciatus, *334*
Auteris, 330, *334*
Autolytus, *555*
alexandri, 535, 543, *555*
fallax, 532, 539, 543, *555*
Automate, 1
gardineri, 16
johnsoni, *13*, 15 (fig.)
sp., 16
Auxopaedeutes, *334*
sodalis, *334*
Axestonotus, *334*, 409
Axione flexuosa, 574

Bactropria, *335*
brasiliensis, *335*
badia, Antinoë, 533, 535, 536, 537, 538, 539, 540, 542, 546, *547*
Antinoëlla, 547
Polynoë, 547
badiomaculata, Susakia, 76
Baea, 360
Baeceura, *335*
Baeomorpha, *335*
dubitata, *335*
Baeoneura, *335*
floridana, *335*
girault, *335*
Baeoneurella, *335*
Baeus, *335*, 360
apterus, *328*
curvatus, *394*
seminulum, *335*, *360*
bahamensis, Physoconops, *166*, 184, 187
bakeri, Chrestotelcia, *342*
Sisyra, 462
Bakeria, *335*
complanata, *335*
Balyta, *335*, 336
bambeyi, Fusicornia, *354*
Barentsia, 224, 225, 227
antarctica, 224, 225
discreta, 221, *224*, 226, 267
intermedia, 224, 225
laxa, 225
misakiensis, 224
robusta, 224, 225
timida, 224
barycera, Pantoclis, *378*
Baryconus, *335*, 359, 360, 388
bicolor, *359*
bisulcatus, *356*
caloperus, *382*
floridanus, *335*, *360*
oecanthi, 335, *364*
rufipes, 335
sordidus, *345*
spinosus, *388*
Baryteleia, *336*

basalis, Climacia, 423, 425, 484, 485, 498, *504*, 505 (fig.), 509
Basalys, *336*
  fumipennis, *336*
bassleri, Rhamphostomella, *282*
Bayer, Frederick M.; Contributions to the nomenclature, systematics, and morphology of the Octocorallia, 207
Beania sp., 306
Bebelus, *336*, 378
Belita, *336*
bellicosus, Acutibaeus, *325*
Belyta, 335, *336*, 377, 380
  abdominalis, *410*
  bicolor, *336*, 342, 409
  bisulca, *366*, 377
  brachyptera, *380*
  brevis, 378
  ciliata, 376
  heterocera, 379
  iridipennis, 336
  parvula, *376*, 377
  rufopetiolata, *325*
beneficum, Eumicrosoma, *352*
Berenicea immersa, 277
bergi, Thalasseus bergi, 88
bermudensis, Conops, *158*, 184
berndti, Polymixia, 190, 201, 202, 203
Berothidae, 423, 435, 426
Sterna vittata, 86, 87
bethyliformis, Paracodrus, *380*
bettyae, Paracyclops, *380*, 407
Betula, *336*
Betyla, *336*
  fulva, *336*
bicolor, Anteris, *393*
  Aphanomerus, *331*
  Baryconus, *359*
  Belyta, *336*, 342, 409
  Cremastobaeus, *344*
  Eulagynodes, *352*
  Mirobaeus, *371*
  Telenomus, *381*
bidentata, Caloteleia, *378*
bidentatus, Acolus, *347*
bifurcata, Mantara, *367*
Bikini, Marshall Atolls of, 1
bilineatus, Anteris, *330*, *404*
bimaculata, Climacia, 423, 425, 484, 485, 505, (fig.), 514
  Erodorus, *352*
bispinosa, Sicyonia, *2*, 3 (fig.)
bispinosus, Hippolyite, 2
bisulca, Belyta, *366*, 377
bisulcatus, Baryconus, *356*
blomstrandi, Eusyllis, 532, 535, 539, 543, *555*
bolitophilae, Tanyzonus, *402*
bonariensis, Triclavus, *405*
bonducellae, Acanalonia, *39*, 42, 46 (fig.)
bonducella, Caesalpinia, 40
bonitensis, Harmothoë, 550
boops, Proctotrupes, *403*
borealis, Ophelia, 567, 568
  Sabellides, 533, 534, 536, 537, 545, *573*
borinquensis, Thionia, 25, 36, 37
boscii, Psilus, *362*
bōshūense, Corallium, 210, 211
Bothiropria, *336*
  saussurei, *336*
Bowerbankia sp., 227
Bracalba, *336*
  laminata, *336*
Brachevania, *337*
  kristenseni, *337*
  brachialis, Diapria, *332*, *401*
  Telenomus, *402*
Brachinostemma mediterranea, *337*
Brachygaster, *337*, 344, 398
brachymenae, Trissolcus, *406*
brachyptera, Belyta, *380*
brachypterus, Serphus, *399*
brachyrhynchus, Conops, 163, 181
  Physoconops, 163, 164, 165, 166, 170, 172, 176, 187
Brachyscelio, *337*, 378
  cephanotes, *337*
  jeanneli, *337*, *378*
Brachyserphus, *337*
Bracon moniliatus, 342
Braconidae, 342
braconiformis, Neuraulacinus, *374*
Brada, 563, *564*
  granosa, 533, 544, 564, *565*
  granulata, 565
  granulosa, 565
  inhabilis, 533, 544, 564, *565*
  villosa, 540, 544, 546, *564*
braesia, Inostemma, *406*
Branchiomma, *577*
  infarcta, 533, 535, 536, 537, 539, 540, 541, 545, 546, *577*
Branchiotoma spongillae, 427, 468, 471
brandti, Nereis, 556, 557
brasiliensis, Bactropiria, *335*
  Notoxoides, *375*
  Megaplastopria, *368*
  Penaeus, 193
braunsi, Sceliotrachelus, *397*
brevicaudus, Pycnaulacus, *395*
brevicornis, Docophorus, 89
  Saemundssonia, 83, 84, 85, 88, *89*, 91, 94, 96
brevior, Smittoidea *ornatipectoralis*, *309*
brevior, Thionia, *37*, 42, 46 (fig.)
brevipennis, Proctotrupes, *389*
brevis, Belyta, 378
  Isis, 212
  Parisis, *212*
brevithorax, Hemifoenus, *358*
Bruchiola, *337*
  formicaria, *337*
Bruchopria, *337*
  pentatoma, *337*
Bruesopria, *337*
  seeversi, *337*
brunnea, Pantolyta, *332*
  Sisyra, 462
brunneipennis, Neurorthus, 522
brunneosericeus, Conops, 159, 185

Brunnicophilus, *338*
donisthorpei, *338*
Bryocryptella, 276
Bryozoa of the United States Navy's 1947–48 Antarctic Expedition, I–IV, 221
bulbirostris, Conops, 168
Physoconops 161, 166, *168*, 171, 185
burquei, Pammegischia, *378*

Cacellus, *338*
Cacus, *338*
oecanthi, *338*, *376*
caduceus, Sceptronein, 145
caeca, Nereis, 558
Nephthys, 558
Caenoteleia, *338*
Caesalpinia bonducella, 40
californica, Climacia, 423, 424, 433 (fig.), 434, 435, 437, 438, 439, 440 (fig.), 484, 485, *491*, 492 (fig.), 494, 498, 501, 502
Diapria, 377, 385
Hemilexis, 358
Callicera, 357
Calliceras, *338*, 340, 357
sulcata, *338*
sulcatus, *357*
Callinectes marginatus, 193
Calliscelio, *338*
laticinctus, *338*
Callitelea, *338*, 339
Calogalesus, *338*
parvulus, *339*
Caloptenobia, *339*
ovivora, 339
calopterus, Baryconus, *382*
Calotelea, 320, 338, *339*
aurantia, *339*
Caloteleia, *339*
bidentata, *378*
elegans, *338*
grenadensis, *341*
calvertensis, Delphinus, 102, 103
Lophocetus, *103*, 112, 115, 116, 118, 122, 123, 125
campanulata, Entomia, *350*
Camptopsilus, *339*
nigriceps, *339*
Camptoteleia, *339*
carinata, *339*
Camras, Sidney; A review of the New World flies of the genus Conops and allies (Diptera: Conopidae), 155
canadensis, Eumegaspilus, *352*
Paratelopsilus, *381*
Pentacantha, *382*, *390*
cancellata, Priene, 227
cantiaca, Sterna, 88
canui, Smittina, 287, *289*, 303
capitata, Capitella, 535, 544, *569*
Capitella, *569*
capitata, 535, 544, *569*
Capitellidae, 544, *569*
Carabiphagus, *339*
caraborum, Prosacantha, *326*
Cardiopria, *339*
ventralis, *339*
Cardiopsilus, *339*
productus, *339*
Carex sp, 432
Carina, 320
Carinafoenus, *339*
carinata, Camptoteleia, *339*
carinatifrons, Euhoplopria, *352*
carinatus, Aparamesius, *350*
Neurogalesus, *375*
Carinia, 320, *340*
nitida, *340*
carinifrons, Immsia, *362*
cariniscutis, Roena, *396*
carpenteri, Ceraphron, 338
carnea, Travisia, 566
carpenteri, Climacia, *423*, 425, 484, 485, 509, *511*, 512 (fig.), 516
carteri, Spongilla, 444
Carthaea, 24
simillima, 38
viriditerminata, 38
caryae, Acerota, *323*
Castalia, *554*
aphroditoides, 533, 543, *554*
catillus, Platygaster, *340*, *384*
Catillus, *340*, 384
walkeri, 340
Catoteleia, 320
Caulerpa sp., 227
cavigena, Sisyridivora, 447
cavolini, Posidonia, 227
cayennensis, Conops, 156
cecidomyiae, Eritrissomerus, *352*
Cellaria, *229*, 237
membranacea, 246
moniliorata, 228, *229*, 232, 233
vitrimuralis, 228, *232*
wandeli, 228, *236*
Cellariaeforma, 229, *237*
coronata, 228, *237*
extentamuralis, 228, *239*
parvimuralis, 228, 237, *241*
Cellariidae, 221, *228*
Cellarinella, 224, 227, *253*
dubia, 254
foveolata, 254, 259, 260
laytoni, 254, *267*, 270
margueritae, 254, *255*, 270
njegovanae, 254, *262*, 270
nodulata, 254, 255
nutti, 254, *260*, 269, 270
rossi, 254, *257*, 260, 269, 270, 284
roydsi, 254, 256, 257, *265*, 270
watersi, 254
Cellepora, 232
celleporoides, Lepralia, 227
cephalosus, Saemundssonia, 84
cephalotes, Sparasion, *400*
cephanotes, Brachyscelio, *357*
Ceranogmus, *340*
testaceus, *340*

Ceraphron, 338, *340*
abdominalis, 368
abnormis, *336*
armatus, *368*
carpenteri, 338
cornutus, 400
dux, *368*
glaber, *403*, *405*
macroneurus, *373*
pallidus, 363
ramicornis, *366*
scutellaris, 356
sulcatus, *340*
tibialis, *356*
Cerapsilon, *340*
Cerastopsilus, *340*, 341
Ceratacis, *340*
flavipes, *340*
Cerataphron, *340*
Ceratobaeoides, *341*
hackeri, *341*
Ceratobaeus, *341*
cornutus, *341*
Ceratoconops subg., 157, *159*
Ceratopria, *341*
longiceps, *341*
longicornis, 341
Ceratopsilus, 340, *341*
rufipes, *341*
Ceratoteleia, *341*
Chace, Fenner A., Jr.; Notes on shrimps from the Marshall Islands, 1
Chaetenteris, *341*
serraticeps, *341*
Chaetozone, *562*
setosa, 533, 534, 543, *562*
chalcidipennis, Evaniellus, *341*
Chalcidopterella, *341*
Champsodelphis dationum, 132
lophogenius, 131
chapini, Climacia, 423, 424, 484, 485, 491, *495*, 496 (fig.), 507
charlesworthii, Melicerita, 248
charmus, Telenomus, *377*
Cheiloceps, 24, 25, 28, *34*
musca, 34
subg., *34*, 35, 36, 42
Cheilostomata, 228
Cheirocerus, *341*, 366
Chetopterus sp., 227
chilena, Climacia, 423, 425, 484, 486, 511, 512 (fig.), *515*
chilensis, Paridris, *381*
Chlidonia, *341*, 342
moniliata, *342*
Chlidonias hybrida hybrida, 92
hybrida indica, 92
leucoptera, 92
nigra nigra, 92
nigra surinamensis, 92, 93
chlopowskii, Pristaulacus, *388*
Chlorodiella longimana, 193
Chone, *577*
duneri, 534, 545, *577*
Chrestoteleia, 320, *342*, 344
bakeri, *342*
Christoteleia, 320
Chromoteleia, *342*
rufithorax, *383*
semicyanea, *342*
Chrysogoriidae, 215, 216, 218
Chrysopidae, 423, 426
chrysops, Colpoptera, *33*, 41, 43 (fig.)
ciliata, Belyta, 376
Nephthys, 558
Nephtys, 533, 534, 535, 537, 538, 540, 543, 547, *558*
cincinnatus, Thelepus, 532, 534, 545, *576*
Cineta, 320
Cinetus, 320, *342*, 370
dorsiger, *362*
flaviventris, *379*
gracilipes, 342
iridipennis, *342*
picipes, *377*
radiatus, *349*, *388*
Cinntus, *342*
cirrata, Laonice, 537, 543, *561*
Nerine, 561
Scolecolepis, 561, 562
Scololepis, 561
Cirratulidae, 543 ,*562*
Cirratulus, *562*
cirratus, 533, 543, *562*
cirratus, Cirratulus, 533, 543, *562*
cirrosa, Gattyana, 533, 534, 536, 537, 542, *551*, 552
Cistenides granulata, 570
hyperborea, 570
subg., *570*
clausis, Rhynchopsilus, *390*
clavaria, Suberia, 208
Tripalea, *208*
clavata, Aneuropria, *328*
Sembilanocera, *398*
Tropidopsis, *374*, *407*
clavatus, Acanopsilus, *322*
Pristomicrops, *388*
Trichasius, *405*
clavicornis, Hemimorus, *358*
Scelio, *402*
claviger, Trimicrops, *406*
cleonymoides, Macroteleia, *367*
Clinopria, *342*
Climacia, 422, 423, 425, 426, 427, 430, 432, 434, 437, 438, 439, 443, 444, 445, 453, 454, 455, 456, 457, *480*, 484, 518, 521
areolaris, 423, 424, 427, 428, 429, 430, 431 (fig.), 432, 433 (fig.), 434, 435 (key), 436, 437, 438, 439 440 (fig.), 442 (fig.), 443, 444, 445, 447, 448 (fig.), 455 (fig.), 464 (fig.), 465 (fig.), 484, 485, *486*, 494, 498, 501
basalis, 423, 425, 484, 485, 498, *504*, 505 (fig.), 509
bimaculata, 423, 425, 484, 485, 505 (fig.), 514

Climacia, californica, 423, 424, 433 (fig.), 434, 435 (key), 437, 438, 439, 440 (fig.), 484, 485, *491*, 492, (fig.), 494, 495, 498, 501, 502
carpenteri, 423, 425, 484, 485, 509, *511*, 512 (fig.), 516
chapini, 423, 424, 484, 485, 491, *495*, 496 (fig.), 507
chilena, 423, 425, 484, 486, 511, 512 (fig.), *515*
dictyona, 427, 429, 432, 486, 488
nota, 423, 425, 484, 485, 490 (fig.), 507, 511
striata, 423, 425, 484 (fig.), 485, 491, 494, 495, *499*, 502
tenebra, 423, 425, 484, 485, 490 (fig.), 494, 500, *501*
townesi, 423, 425, 484, 486, *509*, 512 (fig.), 516
sp., 434
Clinopria fusca, *342*
Clithriellum inclusum, 293
Clusia sp., 35
clusiae, Thionia, *35*, 42, 45 (fig.)
Clymacinos, 426
coccophagus, Atritomus, *333*
cocheteuxi, Eurhinodelphis, 122
Codonellina, 277
Codrus, *342*, 353
apterygynus, 343
niger, *345*, 389
pallipes, 389
parvulus, *337*
Coelogaster, 320
Coelopelta, 320, *343*
mirabilis, *343*
Coelopria, *343*
maura, *343*
Coenopria, *343*
fuscipennis, *343*
coeruleum, Prosparasion, *392*
Colioptera, 441
collaris, Acropiesta, 325
Cologlyptus, *343*
kiefferi, *343*
coloradensis, Zelotypa, *409*
Colpoptera, 24, *25*, 28, 29
chrysops, *33*, 41, 43 (fig.)
cyatheae, *26*, 41, 43 (fig.), 42, 45 (fig.)
elevans, *33*, 34, 41, 44 (fig.)
fusca, 28
lucaris, *28*, 41, 44 (fig.)
maculifrons, 24, 30, 32
maculifrons *angustior*, *31*, 32, 41, 43 (fig.)
maculifrons *dominicana*, *30*, 32, 41, 43 (fig.)
maculifrons *grenadana*, *32*, 41, 43 (fig.)
maculifrons maculifrons, 41, 44 (fig.)
meleagris, *27*, 28, 29, 41, 43 (fig.)
memnonia, *26*, 41, 44 (fig.)
monticolens, 26, 27
nemonticolens, 26, 27
portoricensis, 27
rara, 27
Colpoptera, rugosa, 33
sinuata, 25
thyone, *29*, 41, 44 (fig.)
columbiana, Xenopria, *408*
columbianum, Psilomma, *390*
comitans, Dyscritobaeus, *349*
complanata, Bakeria, *335*
Isis, 211
Miota, 370
Parisis, *211*
compressicornis, Hypocampsis, 360
compressipes, Heteropria, *359*
conchylega, Nothria, 532, 543, *560*
Onuphis, 560
connectens, Physoconops, *169*, 171, 186
concinna, Porella, 301, 309
concolor, Adelioneiva, *325*
confinis, Hemerobius, 468, 471
conicus, Ichneumon, *345*, *407*
Leptorhaptus, *364*
Coniopterygidae, 426
conjugens, Pentapria, *383*
Conopinae, *156*
Conops, a review of the New World flies of the genus, 155
Conops, 155, *156*, 157, 160, 161, 172
abruptus, 176
angustifrons, 178
angustus, 183
angustus varipes, 182
antennatus, 173, 174
anthreas, 183
argentifacies, 160, 177
arizonicus, 175
auratus, 163, 167, 170, 171
aureoscutellus, 180
aurifrons, 156
bermudensis, *158*, 184
brachyrhynchus, 163, 181
brachyrhynchus semifuscus, 180, 181
brunneosericeus, 159, 185
bulbirostris, 168
cayennensis, 156
costaricensis, 169
costatus, 174
cruda, 167
dimidiatipennis, 157
discalis, 180
ephippium, 157
excisus, 171
fenestratus, 163, 170
flaviceps, 157
flavifrons, 156
flavipes, 157
formosus, 180, 181
foxi, 181
fraterculus, 177
fronto, 177
gracilior, 167
gracilis, 163, 171
grandis, 167
guianica, 167
hermanni, 158, 176
inornatus, 179
limuva, 178

Conops, longistylus, 173
macrorhynchus, 157
magnus, 160, 169
mexicanus, 183
nigrimanus, 178
nigromarginatus, 183
nobilis, 159, *160*, 185
obscuripennis, 181
ocellatus, 175
ornatifrons, 184
ornatus, *159*, 186
palliditarsis, 160
pallifrons, 164, 173, 174
palpifrons, 164
parvus, 175
pictifrons, 162
pictus, 166
pruinosus, 158
pulchellus, 177
punctum, 157
ramondi, 166
rubicundulus, 177
rufus, 163, 167
sequax, 168
sericeus, 157, 160
soror, 157
striatifrons, 178
sugens, 171
sylvosus, 175
townsendi, 163
velutinus, *160*, 185
verus, *157*, 184
vesicularis, 157
xanthopareus, 163, 170
subg., *157*, 158. *159*, 184
Conostigmoides, *343*
Conostigmus, *343*, 352
contorticornis, Platygaster, 360, *406*
Copelus, *343*
paradoxus, *343*
Coptera, *343*
polita, *343*
coracina, Synteleia, *401*
Coralliidae, *209*
Corallium, *209*
bōshūense, 210, 211
ducale, *210*
imperiale, *209*, 210
nigrum, 212
sulcatum, 210, 211
Coranila, 337, *344*
cordata, Hemilexis, 350
corni, Amitus, 327
cornutus, Ceraphron, 400
Ceratobaeus, *341*
Psilus, *354*, *395*
Coronadena, 70
coronata, Cellariaeforma, *228*, 237
Corynopria, *344*
solida, *351*
Coscinodiscus lewisianus, 144
obscurus, 144
perforatus, 144
costaricensis, Conops, 169
Physoconops, *169*, 171, 185
costata, Rhamphostomella, 282
costatus, Conops, 174
Physoconops, *174*, 186
cotta, platygaster, 362
Cotylea, *78*
coutieri, Processa, 13
Cracinopria, *344*
Craspedommata, *66*
crassa, Eumenia, 566
Polyphysia, 544, 546, 565, *566*
crassiceps, Gasteruption, *361*
crassiclava, Lophopria, *366*
crassicornis, Acanthopria, *323*
Sabella, 535, 545, *576*
Crassifoenus, *344*
crassipes, Linkiola, *365*
crateriformis, Ephydatia, 444
Meyenia, 444
craterus, Platygaster, *349*, 387
crawfordi, Gryonella, *356*
Cremastobaeus, *344*
bicolor, *344*
Cremastoscelio, *344*
flavipes, *344*
Crestoteleia, 342, *344*
cribraria, Smittia, 294
crinita, Thalassocaris, *13*, 14 (fig.)
crinitus, Regulus, 13
crissalis, Sterna fuscata, 90, 91
cristata, Melinna, 535, 545, *571*
Sabellides, 571
Cristatella mucedo, 445
cristatus, Thalasseus bergi, 88
crosslandi, Athanas, 19
crozetensis, Mucronella, *278*, 287, 293
Smittia, 278
cruda, Conops, 167
crudus, Physoconops, *167*, 187
cruentata, Goniopsis, 193
Crustacea, 1
Cryptophallus, 74
Cryptoserphus, *344*
subg., 344
cubanus, Physoconops, *164*, 172, 184
cubensis, Hippa, 193
cumaeus, Nardo, 373
curtipennis, Proctotrupes, *333*
curvatus, Baeus, *394*
Cyathea sp., 27
cyatheae, Colpoptera, *26*, 41, 43 (fig.), 42, 45 (fig.)
Cyathopria, *345*
rufiventris, *345*
Cyclops, 421
cydnoides, Eremioscelio, *351*
Cyphacolus, *345*
veniprivus, *345*
Cyphonella, 277
Cysticella, 276

dactylidis, Synopeas, *392*
dalei, Metapenaeopsis, 2
dalii, Sisyra, 434, 462, 471
danae, Isis, 211
Parisis, *211*
Dasychone infarcta, 577
Dasynopeas, *345*, 348

dationum, Champsodelphis, 132
Decophorus snyderi, 91
Delphinapterus gabbii, 143, 144
Delphinodon dividum, 145, 146, 149, 150, 151, 153
Delphinus calvertensis, 102, 103
Dendrocerus, *345*
lichtensteinii, *345*
ratzeburgi, *389*
dentata, Umbonula, 273
denticulata, Ophelia, 568
depressus, Proplatyscelio, *390*
Deraidontus, *345*
Deraiodontus, *345*
desertorum, Megacolus, *368*, *384*
Dexiospira subg., 579
Diapria, 344, *345*, 356, 370, 407
brachiali, *332*, *401*
californica, *377*, 385
dispar, 366
maritima, *361*, *370*
parvula, *371*
petiolaris, *344*
platyptera, *350*, *355*, 358
striolata, *348*, *395*
verticillata, *332*, 345
Diapriidae, 321
Dibaryconus, *345*
Dichacantha, *346*
Dichogmus, *346*
dimidiatus, *346*
Dichognus, *346*
Dichoteleas, *346*
rugosus, *346*
Dicroscelio, *346*
flavipes, *346*
Dicroteleia, *346*
rugosa, *346*
Digalesus, *346*
flavipes, *346*
Dilapitha, *346*
albipes, *346*
Dilaridae, 426
dilatatus, Platymischus, *386*
Dilobopria, *346*
rufipes, *346*
dimidiatipennis, Conops, 157
dimidiatus, Dichogmus, *346*
dimorphus, Athanas, 19
dinarica, Evania, 409
Dinemus, 193
venustus, 189, 190, 193, 194, 195, 200
Diochotichus vanbenedeni, 104
Diphora, *346*
westwoodii, *346*
Diphoropria, *346*
rufipes, *346*
Diplatygaster, *347*
Disaulacinus, *347*
flavimanus, *347*
discalis, Conops, 180
Physoconops, *180*, 183, 185, 186
Discelio, *347*
discessus, Inocerota, *362*
Discocelidae, *66*
Discocelis, *66*, 70
herdmani, 70
insularis, *66*, 67 (fig.), 69 (fig.)
lichenoides, 70
tigrina, 70
Discoplana gigas, 76
subviridis, 76
Discoporia, 277
discreta, Ascopodaria, 224
Barentsia, 221, *224*, 226, 267
discus, Paraplanocera, 78
Planocera, 78
Disogmus, *347*
dispar, Diapria, 366
Disphaeron, *347*
arcticus, 347
disrupta, Sisyra, 524
Dissacolus, *347*
Dissolcoides, *347*
excertus, *347*
Dissolcus, 347
nigricornis, *347*
Dissoxylabis, *347*
hirtipes, *347*
distans, Hippothoa, 232
distincta, Solenopsiella, *399*
distyona, Climacia, 427, 429, 432, 486, 488
Disynopeas, 345, *348*
lasiopterae, *348*
dividum, Delphinodon, 145, 146, 149, 150, 151, 153
djiboutensis, Athanas, *16*
Docophorus brevicornis, 89
laticaudatus, 88
lobaticeps, 92
melanocephalus, 87, 88, 90
pustuliferus, 92
quinaquemaculatus, 85
Doddiella, *348*
nigriceps, *348*
Dolichofoenus, *348*
Dolichopria, *348*
gracilis, *348*
Dolichotrypes, *348*
hopkinsi, *348*
Doliopria, *348*
flavipes, *348*
domestica, Pontonia, 193
dominicana, Colpoptera maculifrons, *30*, 32, 41, 43 (fig.)
donisthorpei, Brunnicophilus, *338*
Dorachia, 320, *348*, 395
Dorapria striolata, *348*
dorsiger, Cinetus, *362*
dougalli, Sterna dougalli, 85, 86
Duarina, *348*
venustella, *348*
dubia, Cellarinella, 254
dubitata, Baeomorpha, *335*
ducale, Corallium, *210*
dunéri, Chone, 534, 545, *577*
Duta, *348*
dux, Ceraphron, *368*

Dyscritobaeus, *349*
comitans, *349*
Dytiscus, 441

Eccinetus, 320, *349*, 388
Echinoteleas, *349*
auratus, *349*
Ecitonetes, *349*
subapterus, *349*
ecitophila, Mimopria, *370*
Ectadium, 387
Ectadius, *349*, 387
editus, Aulacus, *376*
Efflatounina, *349*
gryontoides, *349*
egregia, Anisoptera, *329*, *363*
Elaptus, 327, *349*
aleurodis, *349*
electrinus, Hyptiogastrites, *361*
Electrofoenus, *349*
gracilipes, *349*
Electroteleia, *349*
stigmatica, *349*
elegans, Caloteleia, *338*
Micraulacinus, *369*
Psilus, 345
Sicyonella, 4
elevans, Colpoptera, *33*, 34, 41, 44 (fig.)
Poecilopteria, 33
Eleocharis sp., 430
Elgonia, *349*
maxillosa, *349*
Ellisella, 215
Ellisellidae, 214
Ellisellidae, *214*, 216, 218
elongata, Anteris, *391*
Gorgonia, 215
Stylatula, 217
Elysoceraphron, *350*
hungaricus, *350*
Emballotheca phylactelloides, 289
Embidobia, *350*
urichi, *350*
Encyrtoscelio, *350*
mirissimus, *350*
Eniwetok, Marshall Atolls of, 1
Enneascelio, *350*
exaratus, *350*
ensifer, Epimeces, *351*, *381*
ensifera, Thaumatevania, *403*
Entomacis, *350*, 356
subg., 350
Entomia, *350*
campanulata, *350*
Entomius, *350*
Entomopria, *351*
Eoxestonotus, *351*
pini, *351*
Ephesia, *559*
gracilis, 536, 543, 546, *559*
papillifer, 559
ephippium, Conops, 157
Ephydatia crateriformis, 444
fluviatilis, 444
Epimeces, *351*, 381
ensifer, *351*, *381*
ventralis, *351*, *397*
Epinomus, *351*
anoplocnemidis, *351*
Episceuastes, *351*, 382
Eremioscelio, *351*
cydnoides, *351*
ergenna, Xenomerus, *408*
Erimicrops, 320
erinaceus, Sphaerosyllis, 532, 543, *555*
Eriodorus, *351*, 352
Eriopria, *351*
nigra, *351*
Eritrissomerus, *352*
cecidomyiae, *352*
Erodorus, 351, *352*
bimaculatus, *352*
error, Platygaster, *353*
erynniae, Tropidopria, *374*
erythrothorax, Eumegaspilus, *343*, 352
esakii, Athanas, 19
esben-peterseni, Sisyra, 462
Eschara tatei, 301
Escharella, 277
Escharoides, 273, 277
Euchone, *577* (key)
analis, 536, 545, 577, *578*
papillosa, 533, 534, 545, 577, *578*
tuberculosa, 578
eucnemidarum, Vanhornia, *408*
Eufoenus, *352*, 361
Euhoplopria, *352*
carinatifrons, *352*
Eulagynodes, *352*
bicolor, *352*
Eumegalospilus, *352*
Eumegaspilus, *352*
canadensis, *352*
erythrothorax, *343*, 352
Eumenia crassa, 566
Eumicrosoma, 335, *352*
beneficum, *352*
Eunicea, *212*
mammosa, 212
succinea, 212
Eunoë, *548*
nodosa, 532, 533, 536, 537, 542, *548*
oerstedi, 532, 536, 542, *548*
subg., 548
Euplacopria, *352*
mutilata, *352*
Euplana, *76*, 77
gigas, 75 (fig.), *76*
Euplexaura, 212
antipathes, 212
Eupolynoë anticostiensis, 551
Eupteromalus sp., 447
Eurhinodelphis, 101, 125, 126, 127, 145
cocheteuxi, 122
europus, Inostemma, *353*
Eurostemma, *353*
eurygnatha, Thalasseus, 88
euschisti, Telenomus, 406
euschristus, Telenomus, 406

Eusyllis, *555*
blomstrandi, 532, 535, 539, 543, *555*
Euxestonotus, *353*
evanescens, Acerota, 323
Evania, *353*, 391
afra, *391*
dinarica, *409*
minuta, *337*, 344, *398*
petiolata, *360*
princeps, *322*
sericea, *402*
subtangens, 391
unicolor, *353*
Evaniella, *353*
semaeoda, *353*
Evaniellus, *353*
chalcidipennis, *341*
peruanus, *353*
Evaniidae, 320
Evaniscus, *353*
tibialis, *353*
Evarne impar, 550
Evarnella impar, 550
evelinae, Smittina, 305
Smittoidea, *305*, 312
Evenia, *353*
Exallonyx, *353*
formicarius, *353*
exaratus, Enneascelio, *350*
excertaviculata, Smittina, 291, *292*
excertus, Dissolcoides, *347*
excisus, Conops, 171
Physoconops, 166, 170, *171*, 172, 186
Exochella, 273, 277
exsculptus, Hadronotus, *357*
extensalata, Mawsonia, 228, *244*
extentamuralis, *Cellariaeforma*, 228, *239*
extenuata, Harmothoë, 532, 533, 534, 535, 538, 539, 540, 541, 542, 546, *549*
Lagisca, 549

fabianii, Squalodelphis, 104
fabricii, Sabella, 576
Fahringeria, *353*
synergorum, *353*
fallax, Autolytus, 532, 539, 543, *555*
Neurorthus, 448 (fig.), 522
Schizopria, *398*
fasciatipennis, Lamproteleia, *363*
fasciatus, Aradophagus, *331*
Microconops, 160
faxoni, Lucifer, 4
fenestratus, Conops, 163, 170
Physoconops, 170
Fennah, R. G.; Lanternflies of the family Issidae of the Lesser Antilles (Homoptera: Fulgoroidea), 23
Feonus, *353*, 354
ferruginea, Pantolytomyia, *379*
festus, Inostemma, *372*
Fidiobia, *354*, 396
flavipes, *354*
filicornis, Tetrapsilus, *403*
finmarchica, Ampharete, 572
fissipes, Sterna, 92
firmus, Aulacus, *376*
Flabelligera, *563*
affinis, 534, 536, 541, 543, *563*
affinus, 563
Flabelligeridae, 543, *563*
Flatworms, polyclad, from Polynesia and Micronesia, 65
flavibarbis, Aleria, *326*
flavicauda, Acropiesta, *325*
flaviceps, Conops, 157
flavicornis, Idris, *361*
Protelenomus, *392*
flavifrons, Conops, 156
flavimanus, Disaulacinus, *347*
Monoxylabis, *372*
flavipennis, Xenoteleia, *408*
flavipes, Ceratacis, *340*
Conops, 157
Cremastoscelio, *344*
Dicroscelio, *346*
Digalesus, *346*
Doliopria, *348*
Fidiobia, *354*
Habroteleia, *357*
Telenomoides, *402*
flaviventris, Cinetus, *379*
flavosignatus, Amblyaspis, *391*
Flies, New World, A review of the genus Conops and allies, 155, 184–187
flexuosa, Axione, 574
Gorgonia, 215
Pista, 533, 534, 536, 537, 538, 539, 545, 546, 551, *574*
Scione, 574
Terebella, 574
floricola, Procactogaster, 391
floridana, Baeoneura, *335*
Hemilexodes, *358*
floridanus, Baryconus, *335*, *360*
floridanus, Physoconops, *163*, 186, 187
fluviatilis, Ephydatia, 444
Meyenia, 444
Foenus, 353, *354*, 355, 384
raphidioides, *348*
rufus, *339*
foersteri, Leptacis, *389*
Plastogryon, *385*
Trichosteresis, 405
Xestonotidea, 409
foliata, Spionides, 561
forbesii, Travisia, 534, 544, *566*
formicaria, Bruchiola, *337*
formicarius, Exallonyx, *353*
Myrmeleon, 441
Platygaster, *347*
formicarum, Aulacopria, *333*
formosus, Conops, 180, 181
Parafoenus, *380*
fornicatus, Nirmus, 85
forsteri, Sterna, 83, 85, 86, 87, 88
foveatifrons, Prosanteris, *404*
foveatus, Oxyscelio, *377*
foveolata, Cellarinella, 254, 259, 260
foxi, Conops, 181

fragilis, Harmothoë, 550
Lumbriconereis, 560
Lumbrinereis, 560
Lumbrineris, 534, 535, 537, 543, *560*
Spongilla, 427, 444
fraterculus, Conops, 177
frequens, Aegyptoscelio, *325*
frigida, Lepralia, 278
froggatti, Paraspilomicrus, *381*
frontalis, Sparasion, *336*, *378*, 400
fronto, Conops, 177
Physoconops, *177*, 186
fruticosa, Parisis, 211, 212
Fulgoroidea, Lanternflies of the genus, 23
fuliginosa, Sterna, 90, 91
fulva, Betyla, *336*
Symphytopria, *401*
fumatus, Hemerobius, 468, 471
fumipennis, Aphanogmus, *331*
Basalys, *336*
Funiculina, 217
furcifer, Triogmus, *406*
fusca, Clinopria, *342*
Colpoptera, 28
fuscata, Sisyra, 423, 424, 427, 428, 429, 430, 432, 433, 434, 435, 436, 437, 438, 442, 443, 444, 445, 447, 448 (fig.), 459, 460, 462, 466 (fig.), 467, *468*, 473
Sterna, 90
Sterna fuscata, 83, 91
fuscator, Pelecinus, *372*
fuscatus, Hemerobius, 456, 468, 469
Sisyra, 427
Fusicornia, *354*
bambeyi, *354*
fuscicornis, Meuselia, *369*
Pezopria, *383*
Prospilomicrus, *392*
fuscinervis, Neurorthus, 522
fuscipennis, Coenopria, *343*
Galesus, 354
Lepidoscelio, *364*
Megaspilodes, 368
fuscipes, Nanopria, *373*
fusciscapis, Psilomma, *394*
fuscoclavata, Hexapria, *359*

gabbii, Delphinapterus, 143, 144
Tretosphys, 140, *142*, *144*, 146, 148, 149, 152
galapagensis, Anous stolidus, 90, 91
galesiformis, Aneurhynchus, *328*, *372*
Galesimorpha, *354*
wheeleri, *354*
Galesus, *354*, 394, 395, 398
fuscipennis, 354
punctatus, *398*
gallardi, Notilena, *375*
gallicola, Plastobelyta, *385*
Platyllotropa, *386*
gardineri, Automate, 16
Gasteruptia, *354*
Gasteruptiidae, 320
Gasteruption, *354*, 355, 384
antennale, *352*, 361
crassiceps, *361*
humerale, *376*
macronyx, *344*
merceti, *405*
paraguayense, *387*
pedunculatum, *393*
triangulliferum, *405*
Gasteruptium, 354, *355*
Gasteryption, 354, *355*
Gastrhyptium, 354, *355*
Gastrotrypes, *355*
spatulatus, *355*
Gastroxylabis, *355*
rubrosignata, *355*
Gastryptium, 354, *355*
Gattyana, *551* (key)
amondseni, 533, 542, 551, *552*
cirrosa, 533, 534, 536, 537, 542, *551*, 552
Gelochelidon, 86
nilotica aranea, 86
nilotica nilotica, 85
Geodiapria, *355*
longiceps, *355*
geoffrensis, Inia, 102, 106, 108, 110, 113, 114, 119, 120 ,122, 123, 125, 128, 130
georgiae, Sterna vittata, 86
gerriphagus, Limnodytes, *365*, *404*
gigas, Discoplana, 76
Euplana, 75 (fig.), *76*
Leptoplana, 76
gilmorei, Physoconops, *176*, 185
giraudi, Prosynacra, 392
girault, Baeoneura, *335*
Mallateleia, *367*
Gita, *355*
infortunata, *355*
glaber, Ceraphron, *403*, *405*
glabra, Laenilla, 549
Miota, *370*
glaciata, Smittina, 307
gladiator, Monomachus, 372
globiceps, Aratala, *331*
gloriosus, Neoscelio, *374*
Glyphidopria, 350, *355*
subg., 350, 355, 358
Glyptonota, *356*
nigriclavata, *356*
Glyptoteleia, *356*
Gnathophyllidae, 1
Goniodelphis hudsoni, 114
Goniopsis cruentata, 193
Gorgonacea, *208*, 219
Gorgonella, 214, 215
Gorgonellidae, 214, 215
Gorgonia antipathes, 212, 213
elongata, 215
flexuosa, 215
porosa, 213
sarmentosa, 215
succinea, 212
suffruticosa, 212
umbraculum, 215

Govinda, *356*
mila, *356*
gracilianus, Physoconops, *165*, 187
gracilior, Conops, 167
Physoconops. *167*, 186
gracilipes, Cinetus, 342
Electrofoenus, *349*
gracilis, *Pelodelphis*, 130, *132*, 135, 137 140, 142
gracilis, Ampharete, 572
Conops, 163, 171
Dolichopria, *348*
Ephesia, 636, 543 546, *559*
Pachygrapsus, 193
Physoconops, 158, *163*, 164, 165, 167, 170, 187
Porella concinna, 301
graciosa, Smittia, 301
grandis, Conops, 167
Physoconops, *167*, 186
Platygaster, *362*
grandispina, Harmothoë impar, 550
Grant, William C., Jr.; An anatomical study of the peregrine megascolecid earthworm *Pheretima hupeiensis* in the eastern United States, 49
granulata, Brada, 565
Cistenides, 570
Pectinaria 534, 537, 538, 540, 544, 547, *570*
granulatus, Spirorbis, 536, 545, 547, *578*
granulosa, Brada, 565
granosa, Brada, 533, 544, 564, *565*
Graphularia, 217, 218
grapsus, Grapsus, 193
Grapsus grapsus, 193
gravidator, Ichneumon, 389
grenadana, Colpoptera maculifrons, *32*, 41, 43 (fig.)
Thionia musca, *34*, 42, 46 (fig.)
grenadensis, Calotekeia, *341*
Macroteleia, *372*
groenlandica, Ampharete, 572
Phyllodoce, 535, 542, 546, *553*
gryontoides, Efflatounina, *349*
guadalupensis, Solpinctes, 91
guianica, Conops, 167
guianicus, Physoconops, 166, *167*, 186
Gymnolaemata, 228
Gryon, *356*
misellus, *356*
nanno, *406*
phlias, 406
Gryonella, *356*
crawfordi, *356*
Gryonoides, *356*
pulchellus, *356*
Gurney, Ashley B.; *see* Parfin and Gurney, 421
Gyroconops, subg., 160, 161, *174*, 175

Habropelta, *356*
Habropelte, *356*
Habroteleia, *357*
flavipes, *357*
hackeri, Ceratobaeoides, *341*
Hadroceras, 338, 340, *357*
Hadronotellus, *357*
pedester, *357*
Hadronotoides, *357*
pentatomus, *357*
Hadronotus, *357*, 402
exsculptus, *357*
laticeps, 357
Hadrophanurus, *357*
hainanensis, Leptochela aculeocaudata, 6
halidayi, Ismarus, *350*
Harmothoë, *549*
badia, 547
bonitensis, 550
extenuata, 532, 533, 534, 535, 538, 539, 540, 541, 542, 546, *549*
fragilis, 550
imbricata, 532, 535, 536, 537, 538, 539, 540, 541, 542, *549*
impar, 542, 546, 549, *550*
impar grandispina, 550
impar parvispinosa, 550
nodosa, 548
sarsi, 547
haswelli, Athanas, 20
hebes, Lumbrineris, 560
Helorus, 343, *357*
ater, *357*
Hemerobe velu noir, 470, 471
Hemerobida, 423
Hemerobiidae, 421, 425, 426, 447
Hemerobiinae, 425
Hemerobioidea, 426
Hemerobius, 427, 428, 454
confinis, 468, 471
fumatus, 468, 471
fuscatus, 456, 468, 469
Hemerobius niger, 470, 471
nitidulus, 468, 471
vicarius, 460
Hemicyclopora, 276
Hemifoenus, *358*
brevithorax, *358*
Hemigalesus, *358*
niger, *358*
Hemilexis, *358*
californica, 358
cordata, 350
mellipetiola, *358*
mellipetiolata, 358
Hemilexodes, *358*
floricana, *358*
Hemilexomyia, *358*
abrupta, *358*
Hemimorus, *358*
clavicornis, *358*
Hemisius, *358*
minutus, *358*
Heptascelio, 358
lugens, *358*
herdmani, Discocelis, 70
hermanni, Conops, 158, 176
Physoconops, 175, *176*, 184
Herpyllobius arcticus, 548

Hesionidae, 543, *554*
heterocera, Belyta, 379
heterodonta, Melinna cristata, 571
Heterogryon, *359*
Heteromeyenia argyrosperma, 444
repens, 444
Heteropria, *359*
compressipes, *359*
Heteroteleia, 320
hewanorrae, Acanalonia, *40*, 42, 47 (fig.)
Hexapria, *359*
fuscoclavata, *359*
Hicksonella, 212
Hippa cubensis, 193
Hippolyte bispinosus, 2
Hippolytidae, 1
Hippopleurifera, 272, 273
Hippothoa distans, 232
sp., 235
hippuris, Isis, 216
hirtifrons, Anectata, *328*
hirtipes, Dissoxylabis, *347*
hirundo, Sterna, 85, 86, 92
Sterna hirundo, 85, 86, 93
Hirundo urbica, 85
hofmanni, Homophanurus, *359*
Holacolus, 324, 325, *359*
Holalcus, 324, *359*
Holaxonia, *212*, 218
Holoteleia, 320, *359*
nigriceps, 359
tenuicornis, *348*
subg., 359
holotoma, Aclista, 327
Homophanurus, *359*
hofmanni, *359*
Homoptera, Fulgoroidea, 23
hopkinsi, Dolichotrypes, *348*
Saemundssonia, 83, 84, 85, *93*, 94
Hoplogryon, 326, *359*
Hoplopria, *359*
pulchripennis, *359*
Hoplopriella, *360*
Hoploteleia, 320, 331, 335, 336, *360*
Hoplotileia, 320
Hormius, 342
horni, Kiefferopria, *363*
hospes, Plesiobaeus, *386*
hosteensis, Lacerna, 287
hudsoni, Goniodelphis, 114
humerale, Gasteruption, *376*
hungaricus, Elysoceraphron, *350*
hupeiensis, Pheretima, *49*, 52 (fig.), 55 (fig.), 57 (fig.), 59 (fig.), 61
hyalinata, Hypocampsis, *360*
hyalinatus, Pseudaphanomerus, *393*
hyalinipennis, Isorhombus, *362*
hybrida, Chlidonias hybrida, 92
Hydra sp., 445
Hydrochelidon surinamensis, 92
hydroides, Plumigorgia, *214*
Hyman, Libbie H.; Some polyclad flatworms from Polynesia and Micronesia, 65
hymanae, Parasmittina, *280*
Hympocampius, *360*
Hyperbaeus, 335, *360*
hyperborea, Cistenides, 570
Pectinaria, 533, 534, 535, 536, 537, 538, 540, 544, *570*
Hypocampsis, *360*
compressicornis, 360
hyalinata, *360*
Hyptia, *360*, 361
Hyptiagaster, 354, *361*
Hyptiam, 360, *361*
Hyptiogaster, 352, *361*
szepligetii, *353*
Hyptiogastrites, *361*
electrinus, *361*

Ichneumon appendigaster, *353*
assectator, 354, 355
conicus, *345*, *407*
gravidator, 389
jaculator, *354*, *355*
polycerator, *351*, *382*
polyturator, 382
tipulae, 364
Idiotypa, *361*, 370
Idris, *361*
flavicornis, *361*
laeviceps, 361, *381*
Ifalukella, *213*
yanii, *213*
Ifalukellidae, *213*, 215, 218
imbricata, Harmothoë, 532, 535, 536, 537, 538, 539, 540, 541, 542, *549*
imitatrix, Solenopsia, *399*
immersa, Berenicea, 277
Immsia, *362*
carinifrons, *362*
impar, Evarne, 550
Evarnella, 550
Harmothoë, 542, 546, 549, *550*
Polynoë, 550
imperiale, Corallium, *209*, 210
impiger, Neanteris, *373*
inclusa, Smittia, 293
inclusum, Clithriellum, 293
indica, Chlidonias hybrida, 92
Sisyra, 434, 444, 462
inermis, Ramphonotus, 284, 306
Sicyonella, 4, 5 (fig.)
Synopeas, *401*
infarcta, Branchiomma, 533, 535, 536, 537, 539, 540, 541, 545, 546, *577*
Dasychone, 577
inflatum, Scalibregma, 535, 538, 544, 546, *565*, 566
infortunata, Gita, *355*
infuscatus, Physoconops, *179*, 183, 185, 186
infarcta, Sabella, 577
inhabilis, Brada, 533, 544, 564, *565*
Siphonostoma, 565
Inia, 101, 106, 108, 113, 114, 115, 123, 124, 125, 126, 127, 129
geoffrensis, 102, 106, 108, 110, 113, 114, 119, 120, 122, 123, 125, 128, 130
Iniidae, 102

innocua, Porella, 307
innupta, Labolips, *363*
Inocerota, *362*
discessus, *362*
inornatus, Conops, 179
Physoconops, *179*, 184
Inostemma, *362*
atinas, *372*
braesia, *406*
europus, *353*
festus, *372*
quinda, *382*
mecrida, *326*
insignis, Pseudanteris, *393*
insularis, Discocelis, *66*, 67 (fig.), 69 (fig.)
Interaulacus, *362*
kiefferi, *362*
intermedia, Barentsia, 224, 225
Iphitrachelus, *362*
lar, *362*
iridioennis, Belyta, 336
iridipennis, Cinetus, *342*
Neurorthus, 520, 522
Isididae, 211, 215, *216*, 217, 218, 219
Isis, 211, 216, 218
brevis, 212
compressa, 211
danae, 211
hippuris, 216
sp., 211
Ismarus, *362*
halidayi, *350*
Isocybus, *362*
Isolia, *362*
Isorhombus, *362*
hyalinipennis, *362*
Isostasis, *363*
Isostasius, *363*
Issidae, *23*, 25 (key)
Issidae, Lanternflies of the family, of the Lesser Antilles, 23
Issus longipennis, 34
Ithonidae, 426

jacobensis, Smittia, 296
jaculator, Ichneumon, *354*, *355*
Jaculina, 276
japonica, Polymixia, 190, 192, 194, 195, 196, 197, 198, *201*, 203
Sisyrella, 462, 519
japonicus, Athanus, 20
jeanneli, Brachyscelio, *337*, *378*
johnsoni, Automate, *13*, 15 (fig.)
Junceella, 215
jutlandica, Sisyra, 462

kaweahensis, Rhydinofoenus, *395*
Kellogg, Remington; Three Myocene porpoises from the Calvert Cliffs, Maryland, 101
Keratoisis, 216
kiefferi, Cologlyptus, *343*
Interaulacus, *362*
Semaeomyia, *398*
Kiefferopria, *363*
horni, *363*
köllikeri, Suberia, 208
kosteriensis, Anaitis, 554
Paranaitis, 535, 542, 546, *554*
Phyllodoce, 554
koyamae, Neolygocerus, *374*
kristenseni, Brachevania, *337*
Kroeberoconops, subg. 161, *175*, 176

labiata, Lysippe, 534, 537, 545, *573*
Labidopria, *363*
longicornis, *363*
Labolips, *363*
innupta, *363*
Lacerna hosteensis, 287
Laches, *363*
Lachner, Ernest A.; Populations of the berycoid fish family of Polymixiidae, 189
lacustris, Anopedias, 329
Spongilla, 444
Laenilla glabra, 549
Laeospira, subg., *578*
laeviceps, Idris, 361, *381*
laevifrons, Proctotrupes, *339*
Lagisca extenuata, 549
Lagynodes, 320, *363*, 370, 406
rufus, *363*
laidlawi, Paraplanocera, 78
lamellifer, Athanas, 20
Laminaria sp., 579
laminata, Bracalba, *336*
lampra, Sisyra, 486, 488
Lamproteleia, *363*
fasciatipennis, *363*
landsborovi, Smittina, 285, 289, 292, 304
landsborovii, Lepralia, 285, 304
Lantana sp., 30
Lanternflies of the family Issidae of the Lesser Antilles (Homoptera: Fulgoroidea), 23
laodice, Thionia, *36*, 42, 45 (fig.), 47 (fig.)
Laonice, *561*
cirrata, 537, 543, *561*
Lapitha, *363*
spincsa, *363*
Lapithoides, *363*
semiramis, *363*
lar, Iphitrachelus, *362*
lasiopterae, Disynopeas, *348*
laticaudata, Saemundssonia, 84, 85, *88*, 89, 96
laticaudatus, Docophorus, 88
laticeps, Anoxylabis, *329*
Hadronotus, *357*
Tropidopsilus, *407*
laticinctus, Calliscelio, *338*
latigaster, Anarctopria, *330*
latilaminata, Melicerita, 228, 242, *248*
latipennis, Platyteleia, *336*
Latocestidae, *70*
Latucestus, *70*
laxa, Barentsia, 225
laytoni, Cellarinella, 254, *267*, 270

Leaena, *575*
abranchiata, 536, 537, 539, 545, 546, *575*
Leaiopria, *364*
termitarii, *364*
Ledouxopria, *364*
africana, *364*
Lepidopria, *364*
pedestris, *364*
Lepidoria, *364*
Lepidoscelio, *364*
fuscipennis, *364*
lepidus, Macrohynnis, *366*
Lepralia celleporoides, 227
frigida, 278
landsborovii, 285, 304
peachii, 277, 278
reticulata, 285, 304, 311, 312
Leptacis, 329, 340, 349, *364*, 401
foersteri, *389*
leptocerus, Apegus, *331*
Leptochela aculeocaudata, 6
aculeocaudata hainanensis, 6
robusta, *5*, 7
Leptoplana gigas, 76
pardalis, 76
subviridis, 76
Leptoplanidae, *76*
Leptorhaptus, *364*
abbreviatus, 364
conicus, *364*
Leptoteleia, *364*
leroyi, Afrevania, *325*
leucoptera, Chlidonias, 92
levis, Ommatoplana, 74
lewisianus, Coscinodiscus, 144
Lexotropa, 321
Lice, biting, of the genus Saemundssonia (Mallophaga: Philopteridae) occurring on terns, 83
lichenoides, Discocelis, 70
Planaria, 66
lichtensteinii, Dendrocerus, *345*
limacina, Ammotrypane, 567
Ophelia, 534, 544, *567*, 568
Limnodyles, 321
Limnodytes, 321, *365*, 404
gerriphagus, *365*, *404*
limuva, Conops, 178
lineatus, Platygaster, *391*
Linkia, *365*
Linkiola, *365*
crassipes, *365*
Liophanurus, *365*
Lipoglyptus, *365*
primus, *365*
Lipotes, 101
vexillifer, 102, 119
Lithobelyta, *365*
reducta, *365*
lobaticeps, Docophorus, 92
Saemundssonia, 83, 84, 85, *92*, 93, 95, 97
Loboscelidea, *365*
Loboscelidia, *365*
rufescens, *365*
Lobosceloidea, *365*
Lobularia, 207, 208
tuberculosum, 207
lockleyi, Saemundssonia, 84, 85, *86*, 91, 94, 96
Lomamyia, 423
longicalcar, Serphus, *344*
longiceps, Ceratopria, *341*
Geodiapria, *335*
Odontacolus, *376*
longicornis, Acidopsilus, *324*
Ceratopria, 341
Labidopria, *363*
Prosacantha, *390*
Prozelotypa, *393*
Sceliomorpha, *397*
Zacrita, *409*
longii, Adeliopria, *325*
longimana, Chlorodiella, 193
longipennis, Isaus, 34
Thionia, 24
longisetosa, Nephthys, 557
longistylus, Conops, 173
Physoconops, 165, *173*, 187
longosetosa, Nephthys, 557
Nephtys, 535, 543, *558*
Lophocetus, 101, *102*
calvertensis, *103*, 112, 115, 116, 118, 122, 123, 125
pappus, *101*, *103*, 105 (fig.), 112, 118, 122, 133
lophogenius, Champsodelphis, 131
Lophopria, *365*
crassiclava, *366*
lovéni, Melaenis, 534, 541, 542, *547*
lowei, Polymixia, 189, 190, 191, 192, 193, 194, *195*, 196, 197, 198, 199, 203
Loxoptera, *366*
Loxotrapa, 321
Loxotropa, 321, *366*
aculutha, 366
mellea, *372*
lucaris, Colpoptera, *28*, 41, 44 (fig.)
Lucifer faxoni, 4
orientalis, 5
sp., 5
Luciferinae, *4*
lucifugax, Antroscelio, *330*
luctuosa, Plutopria, *387*
lugens, Heptascelio, *358*
lumbricalis, Nicomache, 534, 536, 539, 544, 547, *570*
Lumbriconereis fragilis, 560
Lumbrinereis fragilis, 560
Lumbrineridae, 543, *560*
Lumbrineris, *560*
fragilis, 534, 535, 537, 543, *560*
hebes, 560
lunata, Sterna, 91,92
lusitanica, Tritopria, *407*
lutaria, Sialis, 432
luteipes, Ueoscelio, *408*
lutescens, Mucropalpus, 522
luteus, Trimorus, *346*
Lygoceras, 321, 341
Lygocerus, 321, *366*

lyrulata, Phylactella, 224, 227, 267, 300
Lysippe, *573*
labiata, 534, 537, 545, *573*
Lyteba, *366*

macdonaldi, Nesominus, 90, 91
Macrogryon, *366*
pluto, *366*
Macrohynnis, *366*
lepidus, *366*
macroneurus, Ceraphron, *373*
macronyx, Gasteruption, *344*
macropus, Ascopodaria, 224
macrorhynchus, Conops, 157
Macrostigma, *366*
aphidum, *366*
Macroteleia, 335, 336, *367*
cleonymoides, *367*
grenadensis, *372*
nigriceps, *336*
virginiensis, *400*
Macrotelia, *367*
maculata, Pista, 533, 534, 536, 537, 538, 539, 540, 545, 546, *574*, 575
maculifrons, Colpoptera, 24, 30, 32
Colpoptera maculifrons, 41, 44 (fig.)
maculipennis, Pleuropria, *387*
Prosoxylabis, *391*
magnus, Conops, 160, 169
Physoconops, *169*, 185
Maldane, *569*
sarsi, 536, 544, *569*
Maldanidae, 544, *569*
maldivensis, Sicyonella, *4*, 5 (fig.)
Mallateleia, *367*
girault, *367*
Mallateleioides, *367*
splendida, *367*
Mallochoconops, 156, *160*
malmgreni, Aglaophamus, 535, 538, 539, 543, 546, *557*
Nephthys, 557
Prionospio, 533, 540, 543, *561*
malouinensis, Porella, 285, 287
Malvina, *367*
punctata, *367*
mammosa, Eunicea, 212
Mandraka, *367*
pauliani, *367*
Mantara, *367*
bifurcata, *367*
Mantibaria, *367*, 396
anomala, *367*
manticoda, Rielia, *396*
mantis, Rieliomorpha, *396*
Mantispidae, 426
Marguetta, 276
mariae, Scelioliria, *397*
marginatus, Callinectes, 193
margueritae, Cellarinella, 254, *255*, 270
maritima, Diapria, *361*, *370*
marshallensis, Athanas, *17*, 18 (fig.), 20
marshalli, Oxylabis, *323*
Marshalliella, *367*
oxygaster, *367*
Martinica, *367*
antillensis, *367*
marylandica, Trichopria, *344*
maura, Coelopria, *343*
Mawsonia, 229, *243*
extensalata, 228, *244*
membranacea, 228, 244, *246*
maxillosa, Elgonia, *349*
maxima, Sterna, 88
maximus, Thalasseus maximus, 88, 89
mecrida, Inostemma, *326*
mediterranea, Brachinostemma, *337*
medusa, Polycirrus, 533, 545, *575*
medusa, Thionia, *35*, 37, 42, 45 (fig.)
Megacolus, *367*, 384
desertorum, *368*, *384*
Megalospilus, *368*
Megaplastopria, *368*
brasiliensis, *368*
Megaspilidea, *368*
minuta, *368*
Megaspilodes, *368*
fuscipennis, 368
Megaspilus, 343, 356, *368*
alutaceus, *343*
Melaenis, *547*
lovéni, 534, 541, 542, *547*
melampus, Synopeas, 401
melanocephalus, Docophorus, 87, 88, 90
Nirmus, 87
Philopterus, 85, 87, 88, 89, 92
Saemundssonia, 84, 85, *87*, 94, 96
melanoptera, Sterna anaethetus, 89, 90
meleagris, Colpoptera, *27*, 28, 29, 41, 43 (fig.)
Melicerita, 229, 237, *248*
angustiloba, 252
charlesworthii, 248
latilaminata, 228, 242, *248*
obliqua, 228, *250*
Melinna, *571*
cristata, 535, 545, *571*
cristata heterodonta, 571
mellea, Loxotropa, *372*
mellipes, Opisthacantha, 377, *395*
mellipetiola, Hemilexis, *358*
mellipetiolata, Hemilexis, 358
Melosira sulcata, 145
membranacea, Cellaria, 246
Mawsonia, 228, 244, *246*
Membraniporella sp., 284
memnonia, Colpoptera, *26*, 41, 44 (fig.)
Menipea sp., 227
Menippe nodifrons, 193
meridiana, Saemundssonia, 83, 84, 85, *89*, 90, 91, 92, 94, 96
Merriwa, *368*
quadridentata, *368*
Mesaulacinus, *369*
oviformis, *369*
Mesohelorus, *369*
muchini, *369*
Mesoteleia, *369*
pallida, *369*
Metaclisis, *369*
areolatus, *369*

metallicus, Thoron, *404*
Metanopedias, *369*
sicarius, *369*
Metapenaeopsis, 2
dalei, 2
sp., 2, 3 (fig.)
Meuselia, *369*
fuscicornis, *369*
mexicana, Ommatoplana, 74
mexicanus, Conops, 183
Mexistylochus, 72, 74
tuberculatus, 74
Meyenia, 444
crateriformis, 444
fluviatilis, 444
Meyeninae, 444
Micraulacinus, *369*
elegans, *369*
Microvania, *369*
minuscula, *369*
Microceraphron, *369*
subterraneus, *369*
Microconops, 160, 161
atratulus, 160, 184
fasciatus, 160
Microgalesus, *369*
quadridens, *370*
Micromus areolaris, 480, 486
Micronesia, some polyclad flatworms from, 65
micronesianus, Pseudoceros, *78*, 79 (fig.)
Microphanurus, 331, *370*
Microporella sp., 287
trinervis, 287, 291
Microps, *370*
rubi, *370*
Microteleia, *370*
Microspicularia, 207, 208
Microteleia nitida, *370*
Microtelenomus, *370*, 371
Microtrombidium sp., 445
mila, Govinda, *356*
Mimopria, *370*
ecitophila, *370*
minikoensis, Athanas, 20
minuscula, Microvania, *369*
minuta, Acolomorpha, *324*
Evania, *337*, 344, *398*
Megaspilidea, *368*
Pholoë, 535, 542, *552*
Sisyra, 423, 425, 453, 459, 460, 462, 469 (fig.), 476, *478*, 518, 519
Sterna, 87
minutissima, Phaenopria, *383*
Prosacantha, *359*
minutus, Hemisius, *358*
Miocene porpoises, three, from the Calvert Cliffs, Maryland, 101
Mionopria, 361, *370*
subg., 361, 370
Miota, 321, *370*
compressa, 370
glabra, *370*
Miotella, *370*
tenuicornis, *370*
mirabilis, Acanthobetyla, *322*
coelopelta, *343*
Miramblyaspis, *371*
Nothoserphus, *375*
Platygastoides, *386*
Scorpioteleia, *398*
Miramblyaspis, *371*
mirabilis, *371*
mirissimus, Encyrtoscelio, *350*
Mirobracoides, *371*
tasmanicus, *371*
Mirobraeus, *371*
bicolor, *371*
Mirotelenomus, 370, *371*
abnormis, *371*
misakiensis, Barentsia, 224
misellus, Gryon, *356*
Misocyclops, *371*
Mista, 321
Mithras, 328, *371*, 372
mocsáryi, Tetraconus, *402*
moerens, Aulacus, *335*
molaris, Processa, *11*, 12 (fig.)
molokaiensis, Platymischoides, *386*
Moltkia, 219
monacha, Smittia, 296
Monelata, 344, *371*, 372
moniliata, Chlidonia, *342*
moniliatus, Bracon, 342
moniliformis, Actinocyclus, 145
moniliorata, Cellaria, 128, *229*, 232, 233
Moninostemma, *372*
Monocrita, *372*
Monoleta, 371, *372*
Monomachus, *372*
gladiator, 372
Monoteleia, *372*
Monoxylabis, *372*
flavimanus, *372*
monstruosa, Peristomella, 289
montanus, Apteroscelio, *331*
Aulacus, *345*
morio, Sisyra, 468, 471
morpheus, Nirupama, *375*
monticola, Aholcus, *326*
monticolens, Colpoptera, 26, 27
mucedo, Cristatella, 445
muchini, Mesohelorus, *369*
mucosa, Anaitides, 553
Phyllodoce, 540, 542, *553*
Mucronella, 276, *277*, 278, 281
crozetensis, *278*, 287, 293
peachii, 277
ventricosa, 279
ventricosa, multispinata, 278
Mucronellidae, 276
Mucropalpus, 522
lutescens, 522
Muesebeck, C. F. W.; and Walkley, Luella M; Type species of the genera and subgenera of parasitic wasps comprising the superfamily Proctotrupoidea (Order Hymenoptera), 319
Mullidae, 190

multifoveata, Propentapria, *390*
multispinata, Mucronella ventricosa, 278
musca, Cheiloceps, 34
Thionia, 34, 35, 36, 37
Thiona musca, 35, 42, 46 (fig.)
muscidarum, Platyceraphron, *385*
muscosa, Acanalonia viriditerminata, *39*, 42, 47 (fig.)
mutilata, Euplacopria, *352*
Myiodactylidae, 426
Myrmecopria, *372*
Myrmeleon, 441
formicarius, 441
Mythras, 328, 371, *372*

nanno, Gryon, *406*
Nanopria, *373*
fuscipes, *373*
nanus, Nikoides, *8*, 9 (fig.)
Nardo, *373*
cumaeus, *373*
Nasdia, *373*
prosper, *373*
Neanteris, *373*
impiger, *373*
Neanthes virens, 556
subg., 556
Neaulacus, *373*
neglecta, Potamilla, 534, 545, *576*
Neivapria, *373*
penicillata, *373*
Nemobrama, 193
webbii, 189, 193, 194
nemonticolens, Colpoptera, 26, 27
Neobetyla, *373*
pulchricornis, *373*
Neoceraphron, *373*
Neoceraphron, *373*
Neocolpoptera, 25
portoricensis, 25
Neodiapria, *374*
Neolygocerus, *374*
koyamae, *374*
Neopria, *374*
trifoveata, *374*
Neoscelio, *374*
gloriosus, *374*
Neoteleia, *374*
punctata, *374*
Neotelenomus, *374*
antherae, *374*
Nephthys caeca, 558
ciliata, 558
longisetosa, 557
longosetosa, 557
malmgreni, 557
Nephtyidae, 543, *557* (key)
Nephtys, 557, *558*
ciliata, 533, 534, 535, 537, 538, 540, 543, 547, *558*
longosetosa, 535, 543, *558*
nerceti, Gasteruption, *405*
Nereidae, 543, *556*
Nereis, *556*
brandti, 556, 557
caeca, 558
pelagica, 532, 534, 535, 539, 540, 543, 556, *557*
pelagica occidentalis, 557
virens, 539, 543, *556*
zonata, 535, 536, 537, 538, 539, 540, 541, 543, 546, 556, *557*
subg., 556, 557
Nerine cirrata, 561
nervalis, Neuroscelio, *375*
Nesominus macdonaldi, 90, 91
Nesopria, 320, *374*, 407
Neuraulacinus, *374*
braconiformis, *374*
vespiformis, 374
Neurocacus, *374*
philippinensis, *374*
Neurogalesus, *375*
carinatus, *375*
Neuropria, *375*
sociabilis, *375*
Neuroptera, 421, 426, 441
Neurorthini, 425
Neurorthinos, 426
Neurorthus, 422, 425, 426, 453, 456, 518, *520*, 524
brunneipennis, 522
fallax, 448 (fig.), 522
fuscinervis, 522
iridipennis, 520, 522
punctatus, 522
Neuroscelio, *375*
nervalis, *375*
Neuroteleia, *375*
rufa, *375*
Nicella, 215
Nicomache, *570*
lumbricalis, 534, 536, 539, 544, 547, *570*
niger, Codrus, *343*, 389
Hemerobius, 470, 471
Hemigalesus, *358*
nigerrima, Prosinostemma, *391*
nigra, Abothropria, *322*
Chlidonias nigra, 92
Eriopria, *351*
nigriceps, Anteris, *391*
Camptopsilus, *339*
Doddiella, *348*
Holoteleia, 359
Macroteleia, *336*
Prolapitha, *389*
Prosynacra, *392*
Trissiscelio, *407*
Xyalopria, *409*
nigriclava, Paranteris, *380*
nigriclavata, Glyptonota, *356*
nigriclavis, Acanthoteleia, *323*
nigricornis, Dissolcus, *347*
nigricoxa, Sparasion, *334*
nigricoxis, Xenotoma, *409*
nigrimanus, Conops, 178
Physoconops, *178*, 186

nigripedius, Asolcus, *332*
nigripennis, Sisyra, 468, 471
Sisyra fuscata, 468
nigriventris, Polypria, *387*
nigrocollis, Acantholapitha, *323*
nigromarginatus, Conops, 183
Physoconops, *183*, 185, 186
nigrum, Corallium, 212
nikkoana, Nopia, 518
Sisyrella, 462, 519
Nikoides, 10
nanus, *8*, 9 (fig.)
sibogae, *8*
nilotica, Gelochelidon nilotica, 85
Nirmus fornicatus, 85
melanocephalus, 87
Nirupama, *375*
morpheus, *375*
nirvana, Sisyrina, 448 (fig.), *517*, 518
nitens, Physoconops, *181*, 186
nitida, Austronia, *334*
Carinia, *340*
Microteleia, *370*
nitidulus, Hemerobius, 468, 471
njegovanae, Cellarinella, 254, *262*, 270
nobilis, Conops, 159, *160*, 185
Polymixia, 189, 190, 192, 193, *194*, 195, 196, 197, 198, 199, 200, 201, 202, 203
nocturna, Sisyra, 423, 425, 460, 473, *476*
nodifrons, Menippe, 193
nodosa, Eunoë, 532, 533, 536, 537, 542, *548*
Harmothoë, 548
nodulata, Cellarinella, 254, 255
noir, Hemerobe velu, 470, 471
Nopia, 518
nikkoana, 518
Nosybus, 425
nota, Climacia, 423, 425, 484, 485, 490 (fig.), 507, 511
notabilis, Stylaclista, *400*
Nothoserphus, *375*
mirabilis, *375*
Nothria, *560*
conchylega, 532, 543, *560*
Notilena, *375*
gallardi, *375*
Notoxoides, *375*
brasiliensis, *375*
Notoxopria, *375*
rufa, *375*
Nychia amondseni, 552
novanglia, Smittina, 301
nutti, Cellarinella, 254, *260*, 269, 270
Nyleta, *375*
striaticeps, *375*

oahuense, Zacranium, *409*
oahuensis, Sterna fuscata, 90, 91
obiculata Smittina, *294*
obliqua, Melicerita, 228, *250*
Pseudocellaria, 250
obliquum, Aspidostoma, 250
oblongata, Smittina, 291, 296
oblongus, Paralichthys, 199

obscuripennis, Conops, 181
Physoconops, 176, 178, 181, 186
obscurus, Anopedias, *329*
Coscinodiscus, 144
occidentalis, Aulacus, *373*
Nereis pelagica, 557
oceanica, Ommatoplana, 71 (fig.), *72*
ocellatus, Conops, 175
Physoconops, *175*, 186
Octocorallia, Contributions to the nomenclature, systematics, and morphology of the, 207
Odontacolus, *376*
longiceps, *376*
Odontaulacus, *376*
Odontofoenus, *376*
Odontopria, *376*
temporalis, *376*
Odontopsilus, *376*
tenuicornis, *376*
Odontoscelio, *376*
striatifrons, *376*
oecanthi, Baryconus, 335, *364*
Cacus, *338*, *376*
oerstedi, Eunoë, 532, 536, 542, *548*
Oethecoctonus, 338, *376*
ohsimai, Athanas, 20
Oleisoprister, *376*
oligoglena, Paraplanocera, 77
oligoglenus, Stylochus, 77
olygoplena, Planocera, 78
Onyteleia, 321
Onuphis conchylega, 560
opaca, Xanthopria, *408*
opacus, Acolus, *324*, *329*
Ommatoplana, *72*, 73, 74
levis, 74
mexicana, 74
oceanica, 71 (fig.), *72*
tuberculata, 72, 74
Onuphidae, 543, *559*
Opazon, *376*
subg., 376, 377
Ophelia, 566, *567*
assimilis, 567, 568
borealis, 567, 568
denticulata, 568
limacina, 534, 544, *567*, 568
Opheliidae, 544, *566* (key)
Opisthacantha, *377*, *395*
mellipes, *377*, *395*
orchymonti, Anacoryphe, *327*
ordinata, Smittia, 298
Smittina, 291, 292, *298*, 302, 303
Oreiscelio, *377*
sechellensis, *377*
orientalis, Athanas, 20
Lucifer, 5
Oriscelio, *377*
seychellensis, *377*
ornatifrons, Conops, 184
Physoconops 183, *184*, 185, 186
ornatipectoralis, Smittoidea, 287, *307*, 311
ornatus, Conops, *159*, 186
Platygaster, *371*

Orthopria, *377*, 385
Osmylidae, 421, 426, 447
Osmylinae, 425
Osmyloidea, 426
Osmylus 431 (fig.), 454
Ostrea percrassa, 144
ovata, Rhamphostomella, 282
ovi, Aphanomerella, *331*
oviformis, Mesaulacinus, *369*
ovivora, Caloptenobia, *339*
oxygaster, Marshalliella, *367*
Oxylabis, 323, *377*
  marshalli, *323*
oxylaboides, Acanthomiota, *323*
Oxypanaurus, *377*
Oxypria, *377*
  thoracica, *377*
Oxyscelio, *377*
  foveatus, *377*
Oxyteleia, 321, *378*
oxyura, Palaeoteleia, *378*
Oxyurus, 336, *378*
ozenumana, Sisyra, 462

pachyclados, Alcyonium, 207
Pachyconops, subg., *161*, 162–172, 175, 176
pachycoris, Pseudotelenomus, *393*
Pachygrapsus gracilis, 193
Pachyscelidris, *378*
  aptera, *378*
Pachyscelio, 337, *378*
Palaemonidae, 1
Palaeoteleia, *378*
  oxyura, *378*
Palaeoziphius scaldensis, 131
pallida, Mesoteleia, *369*
  Pantolyta, *379*
palliditarsis, Conops, 160
pallidus, Ceraphron, 363
pallifrons, Conops, 164, 173, 174
  Physoconops, *164*, 186
pallipes, Aconops, 172
  Codrus, 389
  Physoconops, *172*, 184
Palmicellaria, 276
palpifrons, Conops, 164
Palpoteleia, *378*
Pammegischia, 321, *378*
  burquei, *378*
panama, Sisyra, 423, 425, 453, 454, 457, 460, 473, *474*, 475 (fig.), 518
Pantoclis, *378*
  barycera, *378*
Pantolysa, *379*
Pantolyta, *379*
  atrata, *379*
  brunnea, *332*
  pallida, *379*
Pantolytoidea, *379*
  splendida, *379*
Pantolytomyia, *379*
  ferruginea, *379*
Pantopiesta, *379*
papillata, Stylarioides, 563
  Trophonia, 563
papillifer, Ephesia, 559
  Spheordorum, 559
papillosa, Euchone, 533, 534, 545, 577, *578*
pappus, Lophocetus, *101*, *103*, 105 (fig.), 112, 118, 122, 133
par, Thalasseus bengalensis, 88
Parabaeus, 321, *379*
  ruficornis, *379*
Parabalus, 321
Parabetyla, *379*
  spinosa, *379*
Paraclista, 321, *379*
Paracodrus, *380*
  bethyliformis, *380*
Paracyclops, *380*, 407
  bettyae, *380*, 407
paradisaea, Sterna, 86
paradoxus, Copelus, *343*
  Serphites, *399*
Parafoenus, *380*
  formosus, *380*
Paragryon, *380*
  pedestris, *380*
paraguayense, Gasteruption, *387*
Paralichthys oblongus, 139
Paramegischia, 321
Paramesius, 321 *380*
  rufipes, *380*
Paramesus, 321
Paranaitis, 553, *554*
  kosteriensis, 535, 542, 546, *554*
  wahlbergi, 554
Paranteris, *380*
  nigriclava, *380*
Parapegus, *380*
  subg., *381*
Paraplanocera, *77*
  discus, 78
  laidlawi, 78
  oliogoglena, *77*
Parapolymixia, 190
Parascelio, *381*
  undulatus, *381*
Parasmittina, 276, *280*
  hymanae, *280*
Paraspilomicrus, *381*
  froggatti, *381*
Paratelenomus, *381*
Paratelopsilus, *381*
  canadensis, *381*
Paratrimerus, 321
Paratrimorus, 321, *381*
  perplexus, *381*
pardalis, Leptoplana, 76
Parepimeces, *381*
Parevania, *381*
  semirufa, *381*
Parfin, Sophy I., and Gurney, Ashley B.: The spongilla-flies, with special reference to those of the Western Hemisphere (Sisyridae, Neuroptera), 421
Paridris, *381*
  chilensis, *381*
Parinostemma, *382*

Parisididae, *211*, 218
Parisis, 211, 216, 218
brevis, *212*
compressa, *211*
danae, *211*
fruticosa, 211, 212
sp., 211
Paroxylabis, *382*
semirufa, *382*
parsonsi, Physoconops, *171*, 184
parvigenitalis, Saemundssonia, 83, 84, 85, 86, *87*, 94, 96, 98 (fig.)
parvimuralis, *Cellariaeforma*, 228, 237, *241*
parvipennis, Sceliacanthella, *397*
parvispinosa, Harmothoë impar, 550
parvula, Belyta *376*, 377
Diapria, *371*
parvulus, Calogalesus, *339*
Codrus, *337*
parvus, Conops, 175
Pasiphaeidae, 1, *5*
Passalida, *382*
spinifera, *382*
pauliani, Mandraka, *367*
peachii, Lepralia, 277, 278
Mucronella, 277
Pectinaria, *570*
granulata, 534, 537, 538, 540, 544, 547, *570*
hyperborea, 533, 534, 535, 536, 537, 538, 540, 544, *570*
sp., 551, 562
Pectinariidae, 544, *570*
pedester, Hadronotellus, *357*
pedestris, Antropria, *330*
Lepidopria, *364*
Paragryon, *330*
Planopria, *385*
Pedicellina australis, 224
Pedicellinidae, 224
pediculata, Ropronia, *396*
Pediculus sternae, 85
pedunculatum, Gasteruption, *393*
Pegoteleia, *382*
pelagica, Nereis, 532, 534, 535, 539, 540, 543, 556, *557*
Pelecinopteron, *382*
tubuliforme, *382*
Pelecinus, 351, *382*
fuscator, *372*
Pelodelphis, *132*
gracilis, 130, *132*, 135, 137, 140, 142
Penaeidae, 1, *2*
Penaeinae, *2*
Penaeus brasiliensis, 193
penicillata, Neivapria, *373*
Pennatulacea, *216*, 218, 219
pennsylvanicus, Telenomus, *357*
Pentacantha, *382*, 390
canadensis, *382*, *390*
pentaplasta, Trichopria, *405*
Pentapria, *382*
conjugens, *383*
punctaticeps, 383
Pentalosema, *383*
pentatoma, Bruchopria, *337*
pentatomus, Hadronotoides, *357*
perbellum, Physoconops, 158, 176
percrassa, Ostrea, 144
Peregrine megascolecid earthworm Pheretima hupeiensis, anatomical study of, 49
peregrinus, Pseudobaeus, *393*
perforata, Schizoporella, 301
perforatus, Coscinodiscus, 144
pergandei, Polypeza, *387*, *390*
Perichaeta, subg., *49*
peristicta, Saemundssonia, 90
Peristomella monstruosa, 289
perplexus, Paratrimorus, *381*
peruanus, Evaniellus, *353*
peruvianus, Physoconops, *178*, 186
petersi, Saemundssonia, 83, 84, 85, *90*, 91, 94, 96, 98 (fig.)
petiolaris, Diapria, *344*
petiolata, Evania, *360*
Psilommella, *394*
Petroliella, 277
Pettibone, Marian H.; Marine polychaete worms from Labrador, 531
Pezopria, *383*
fusciconris, *383*
Phaedroteleia, *383*
armata, *383*
Phaenomorphus, 321
Phaenopria, *383*
minutissima, *383*
Phaenoserphus, 321, 339, *383*
phalaenarum, Teleas, *390*
Phanuromorpha, *383*
Phanuromyia, *384*
Phanuropsis, *384*
semiflaviventris, *384*
Phanurus, *384*
angustatus, *384*
Pharunomyia, *384*
rufobasalis, *384*
Pheretima hupeiensis, *49*, 52 (fig.), 55 (fig.), 57 (fig.), 59 (fig.), 61
posthuma, 50, 58, 59
Pherusa, *563*
plumosa, 534, 544, *563*
philippinensis, Neurocacus, *374*
Philolestes, *384*
rufus, *384*
Philolestoides, *384*
wasmanni, *384*
Philoplanes, 320, 367, *384*
Philopterus melanocephalus, 85, 87, 88, 89, 92
snyderi, 90
phlias, Gryon, 406
Phoenoteleia, *384*
rufa, *384*
Phoenus, 354, *384*
Pholoë, *552*
minuta, 535, 542, *552*
Phylactella lyrulata, 224, 227, 267, 300
Phyllodoce, *553* (key)
groenlandica, 535, 542, 546, *553*
kosteriensis, 554

Phyllodoce, mucosa, 540, 542, *553*
Phyllodocidae, 542, *552*
phylactelloides, Emballotheca, 289
Physocephala, 156, 157, 167
Physoconops, 155, 156, 157, 158, 160, *161* (key), *176*
abbreviatus, *174*, 185
abruptus, *176*, 177, 178, 184
angustifrons, *178*, 180, 183, 186
angustus, *183*, 185
antennatus, *174*, 185, 186
anthreas, *183*, 185
apicalis, *172*, 185
aureoscutellus, *180*
bahamensis, *166*, 184, 187
brachyrhynchus, 163, 164, 165, 166, 170, 172, 176, 187
bulbirostris, 161, 166, *168*, 171, 185
connectens, *169*, 171, 186
costaricensis, *169*, 171, 185
costatus, *174*, 186
crudus, *167*, 187
cubanus, *164*, 172, 184
discalis, *180*, 183, 185, 186
excisus, 166, 170, *171*, 172, 186
fenestratus, 170
floridanus, *163*, 186, 187
fronto, *177*, 186
gilmorei, *176*, 185
gracilianus, *165*, 187
gracilior, *167*, 186
gracilis, 158, *163*, 164, 165, 167, 170, 187
grandis, *167*, 186
guianicus, 166, *167*, 186
hermanni, 175, *176*, 184
infuscatus, *179*, 183, 185, 186
inornatus, *179*, 184
longistylus, 165, *173*, 187
magnus, *169*, 185
nigrimanus, *178*, 186
nigromarginatus, *183*, 185, 186
nitens, *181*, 186
obscuripennis, 176, 178, 181, 186
ocellatus, *175*, 186
ornatifrons, 183, *184*, 185, 186
pallifrons, *164*, 186
pallipes, *172*, 184
parsonsi, *171*, 184
perbellum, 158, 176
peruvianus, *178*, 186
pictifrons, *162*, 186
pictus, *166*, 172, 184
pulvillatus, 178
ramondi, *166*, 184
rufipennis, *175*, 184
rufus, *167*, 170, 171, 186
shannoni, *162*, 186
sylvosus, 174, *175*, 186
townsendii, 167, *170*, 186
travassosi, *168*, 185
varipes, *182*, 186
xanthopareus, 170
subg., 161, *176*, 177, 178, 179, 180, 181, 182, 183, 184
picciventris, Acolus, 324
picipes, Cinetus, *377*
pictifrons, Conops, 162
Physoconops, *162*, 186
pictus, Conops, 166
Physoconops, *166*, 172, 184
Piestopleura, 340, *384*
pilosa, Rhacoteleia, *395*
pini, Exestonotus, *351*
pisi, Sactogaster, 397
pisis, Platygaster, *404*
Pista, *574*
flexuosa, 533, 534, 536, 537, 538, 539, 545, 546, 551, *574*
maculata, 533, 534, 536, 537, 538, 539, 540, 545, 546, *574*, 575
Plagioscelio, *384*
rufescens, *385*
Plagiosmittia, 277
plana, Acanalonia, 25, *38*, 42, 47 (fig.)
Amphiscepa, 38
Planaria lichenoides, 66
Planipennia, 426
Planocera amphibola, 78
discus, 78
olygoplena, 78
Planoderidae, *77*
Planopria, 377, *385*
pedestris, *385*
Planopriella, *385*
planus, Platytelenomus, *386*
Plastobelyta, *385*
gallicola, *385*
Plastogryon, 359, *385*
foersteri, *385*
sagax, *359*
Plastomicrops, *385*
acuticornis, *385*
Platyceraphron, 395
muscidarum, *385*
Platygaster, 328, 362, *385*, 387, 406
catillus, *340*, *384*
contorticornis, 360, *406*
cotta, 362
craterus, *349*, 387
error, *353*
formicarius, *347*
grandis, *362*
lineatus, *391*
ornatus, *371*
pisis, *404*
punctiger, *363*
remulus, 404
rufipes, 386
sosis, 401
striolatus, *387*
tritici, *327*
Platygastoides, *386*
mirabilis, *386*
Platyllotropa, *386*
gallicola, *386*
Platymischoides, *386*
molokaiensis, *386*
Platymischus, 332, *386*
dilatatus, *386*

platyptera, Diapria, *350*, *355*, 358
Platyscelio, *386*
pulchricornis, *386*
Platystasius, *386*
strangaliophagus, *386*
Platyteleia, *386*
latipennis, *386*
Platytelenomus, *386*
planus, *386*
Plesiobaeus, *386*
hospes, *386*
Pleuropria, *387*
maculipennis, *387*
Plexaura, 212
aggregata, 212
antipathes, 212, 213
Plexauridae, *212*
Plumigorgia, 213, *214*
hydroides, *214*
wellsi, *214*
plumosa, Amphitrite, 563
Pherusa, 534, 544, *563*
Stylarioides, 563
Trophonia, 563
pluto, Macrogryon, *366*
Plutofoenus, *387*
Plutopria, *387*
luctuosa, *387*
Poeciloptera elevans, 33
robusta, 37
polita, Coptera, *343*
politum, Stylidolon, *400*
polycerator, Ichneumon, *351*, *382*
Polycirrus, *575*
medusa, 533, 545, *575*
Polyclad flatworms from Polynesia and Micronesia, 65
Polycladida, *66*
Polydiapria, *387*
atriceps, *387*
Polygnotus, *387*
Polymecus, 349, *387*
Polymixia, 189, 190, *193*, 194 (key,) 196–198, 201
berndti, 190, 201, 202, 203
japonica, 190, 192, 194, 195, 196, 197, 198, *201*, 202, 203
lowei, 189, 190, 191, 192, 193, 194, *195*, 196, 197, 198, 199, 200, 201, 203
nobilis, 189, 190, 192, 193, *194*, 195, 196, 197, 198, 199, 200, 201, 202, 203
nobilis virginica, 190, 195, 196, 199, 200
Polymixiidae, 189, 190
Polymixiidae, Populations of the berycoid fish family, 189
polymorphus, Athanas, 20
Polynesia, some polyclad flatworms from, 65
Polynoë badia, 547
impar, 550
Polynoidae, 542, *547*
Polypeza, *387*, 390
pergandei, *387*, *390*
Polyphysia, *566*
crassa, 544, 546, 565, *566*
Polypria, *387*
nigriventris, *387*
Polystoechotes, 423
Polystoechotidae, 423, 426
polyturator, Ichneumon, 382
Pontonia domestica, 193
Porella, 276
concinna, 301, 309
concinna gracilis, 301
innocua, 307
malouinensis, 285, 287
punctata, 294
purpurea, 301
porosa, Gorgonia, 213
Porpoises, three Miocene, from the Calvert Cliffs, Maryland, 101
portoricensis, Colpoptera, 27
Neocolpoptera, 25
Posidonia cavolini, 227
posthuma, Pheretima, 50, 58, 59
Potamilla, *576*
neglecta, 534, 545, *576*
praetermissa, Praxillella, 534, 535, 540, 544, *569*
Praxillella, *569*
praetermissa, 534, 535, 540, 544, *569*
Priene cancellata, 227
priesneri, Viennopria, 408
Primnoidae, 215, 218
Primnoisis, 216
primus, Lipoglyptus, *365*
princeps, Evania, *322*
Prionospio, *561*
malmgreni, 533, 540, 543, *561*
Pristaulacus, 345, 373, *388*
chlopowskii, *388*
rufobalteatus, *403*
Pristomicrops, *388*
clavatus, *388*
Probaryconus, *388*
subg., 388
Probelyta, *388*
alticola, *388*
Probetyla, *388*
subaptera, *388*
Procacus, *388*
striatigena, *388*
Processa coutieri, 13
molaris, *11*, 12 (fig.)
Processidae, 1, *8*
Procinctus, 321
Procinetus, 321, 349, *388*
Proctotripes, *388*
Proctotropis, *388*
Proctotrupes, 352, *388*, 399
aerolator, *347*, 389
boops, *403*
brevipennis, *389*
curtipennis, *383*
laevifrons, *339*
Proctotrupoidea, 319, 320, 321, *322*, 385, 393
Prototrypes, 388, *389*

Proctrupes, 388, *389*
Proctotrypites, *389*
rottensis, *389*
Prodendrocerus, *389*
productus, Cardiopsilus, *339*
Prohemerobiidae, 426
Prolapitha, *389*
nigriceps, *389*
Proleptacis, *389*
prolifica, Smittoidea, 304, 311, 312, 313
Promeuselia, *389*
Propantolyta, 387, *390*
Propentacantha, *390*
Propentapria, *390*
multifoveata, *390*
Prophanurus, 321, *390*
Prophanus, 321
Proplatygaster, *390*
rufipes, *390*
Proplatyscelio, *390*
depressus, *390*
Propsilomma, *390*
Prosacantha, *390*
caraborum, *326*
longicornis, *390*
minutissima, *359*
Prosactogaster, *391*
floricola, 391
umbraculi, 391
Prosamblyaspis, *391*
Prosanteris, *391*, 404
foveatifrons, *404*
Prosapegus, *391*
Prosevania, *391*
subg., 391
Prosinostemma, *391*
nigerrima, *391*
Prosoxylabis, *391*
maculipennis, *391*
Prosparasion, *392*
coeruleum, *392*
prospectus, Synopeas, 401
prosper, Nasdia, *373*
Prospilomicrus, *392*
fuscicornis, *392*
Prosynacra, *392*
giraudi, 392
nigriceps, *392*
Prosynopeas, *392*
subg., 392
Protelenomus, *392*
flavicornis, *392*
Proteroscelio, *392*
antennalis, *392*
Protimorus, 321
Protofoenus, *392*
swinhoei, *392*
Protrimorus, 321, *392*
Prozelotypa, *393*
longicornis, *393*
pruinosus, Conops, 158
Psammogorgia, 212
Pseudanteris, *393*
insignis, *393*
Pseudaphanomerus, *393*
hyalinatus, *393*
Pseudevania, *393*, 409
Pseudobaeus, *393*
peregrinus, *393*
Pseudocellaria, 229
obliqua, 250
Pseudoceraphron, *393*
pulex, *393*
Pseudoceridae, *78*
Pseudoceros, *78*, 80
micronesianus, *78*, 79 (fig.)
Pseudofoenus, *393*
Pseudotelenomus, *393*
pachycoris, *393*
Psilacolus, *393*
Psilanteris, *393*
Psilaulacus, *394*
annulatus, *394*
Psilloma, *394*
Psilobaeus, *394*
Psilomma, 321, *394*
columbianum, *390*
fusciscapis, *394*
tenuicornis, *394*
Psilommella, *394*
petiolata, *394*
Psilonima, 321
Psilopria, *394*
rufitarsis, *394*
Psiloteleia, *394*
atra, *378*
striatigena, *394*
Psilus, 329, 343, 354, 363, *394*, 398
antennatus, *366*
boscii, *362*
cornutus, *354*, *395*
elegans, 345
sericeicornis, *340*
Psychopsidae, 426
pubescens, Therinopsilus, *403*
pulchellus, Conops, 177
Gryonoides, *356*
pulchricornis, Neobetyla, *373*
Platyscelio, *386*
pulchripennis, Hoplopria, *359*
pulix, Pseudoceraphron, *393*
pulla, Synarsis, *401*
pulvillatus, Physoconops, 178
punctata, Malvina, *367*
Neoteleia, *374*
Porella, 294
Sisyra, 462
punctaticeps, Pentapria, 383
Triteleia, *407*
punctatus, Apegus, *381*
Galesus, *398*
Neurorthus, 522
punctiger, Platygaster, *363*
punctum, Conops, 157
purpurea, Porella, 301
Smittia, 289
Smittina landsborovii, 289
pustuliferus, Docophorus, 92
Saemundssonia, 92
Pycnaulacus, *395*
brevicaudus, *395*

quadridens, Amblyconus, *327*
Microgaiesus, *370*
quadridentata, Merriwa, *368*
quadrispinosa, Sceliacantha, *397*
quinda, Inostemma, *382*
quinquemaculatus, Docophorus, 85

radialis, Sisyra, 462
radiatus, Cinetus, *349*, *388*
Raia, 377, *395*
ramicornis, Ceraphron, *366*
ramondi, Conops, 166
Physoconops, *166*, 184
ramosi, Thionia, 25
Ramphonotus inermis, 284, 306
raphidioides, Foenus, *348*
rara, Colpoptera, 27
ratzeburgi, Dendrocerus, *389*
reducta, Lithobelyta, *365*
refulgens, Xestonotus, 409
Regulus, crinitus, 13
relicta, Rophalis, *523*
Sisyra, 522, 523
remulus, Platygaster, 404
repens, Heteromeyenia, 444
Retepora sp., 227
reticulata, Lepralia, 285, 304, 311, 312
Smittia, 313
Smittoides, *311*
retractus, Aclistoides, *324*
Rhacodia, 348, *395*
Rhacoteleia, *395*
pilosa, *395*
Rhamphostomella, 276, *282*, 285
bassleri, *282*
costata, 282
ovata, 282
Rhopalis, 523
Rhopalopria, *395*
vulgaris, *395*
Rhophalis, 523
Rhydinofoenus, *395*
kaweahensis, *395*
Rhynchocinetes rigens, 193
Rhynchocinetidae, 1
Rhynchopria, *395*
tritoma, *395*
Rhynchopsilus, 332, 390, *395*
apertus, *396*
clausis, *390*
Rielia, *396*
manticida, *396*
Rieliomorpha, *396*
mantis, *396*
rigens, Rhynchocinetes, 193
Riisea, 215
Rimulostoma, 276
robusta, Acanalonia, 25, *37*, 42, 47 (fig.)
Barentsia, 224, 225
Leptochela, *5*, 7
Poeciloptera, 37
Roena, *396*
cariniscutis, *396*
Rogick, Mary D.; Bryozoa of the United States Navy's 1947–1948 Antarctic Expeditions, I-IV., 221
Romilius, *396*
zotale, *396*
Rongelap, Marshall Atolls of, 1
Rongerik, Marshall Atolls of, 1
Rophalis, 422, 423, 426, 456, 522, *523*
relicta, *523*
subg., 523
Ropronia, *396*
pediculata, *396*
Roptronia, *396*
Rosneta, 354, *396*
tritici, *396*
rossi, Cellarinella, 254, *257*, 260, 269, 270, 284
rozieri, Streptopria, *400*
rottensis, Proctotrypites, *389*
roydsi, Cellarinella, 254, 256, 257, *265*, 270
rubi, Microps, *370*
rubicundulus, Conops, 177
rubrilingulata, Smittinella, *302*
rubriventer, Aulacostethus, *333*, *334*
rubrosignata, Gastroxylabis, *355*
rufa, Asolenopsia, *332*
Atrichopria, *333*
Neuroteleia, *375*
Notoxopria, *375*
Phoenoteleia, *384*
Stylopria, *400*
Loboscelidia, *365*
rufescens, Plagioscelio, *335*
Styloteleia, *401*
ruficornis, Parabaeus, *379*
Scelio, *386*
rufipennis, Physoconops, *175*, 184
rufipes, Aneuroscelio, *328*
Baryconus, 335
Ceratopsilus, *341*
Dilobopria, *346*
Diphoropria, *346*
Paramesius, *380*
Platygaster, 386
Proplatygaster, *390*
rufistigma, Sisyra brunnea, 462
rufitarsis, Anteris, 330
Aulacus, *376*
Psilopria, *394*
rufithorax, Atomopria, *332*
Chromoteleia, *383*
Cyathopria, *345*
rufobalteatus, Pristaulacus, *403*
rufobasalis, Pharunomyia, *384*
rufopetiolata, Belyta, *325*
rufum, Acanosema, *322*
rufus, Conops, 163, 167
Foenus, *339*
Lagynodes, *363*
Philolestes, *384*
Physoconops, *167*, 170, 171, 186
rugosa, Colpoptera, 33
Dicroteleia, *346*
rugosiceps, Sacespalus, *396*
rugosulus, Scelio, *397*
rugosus, Archaeoscelio, *332*
Dichoteleas, *346*

Rumphella, *212*
aggregata, 212

Sabella, *576*
crassicornis, 535, 545, *576*
fabricii, 576
infarcta, 577
Sabellidae, 545, *576*
Sabellides, *573*
borealis, 533, 534, 536, 537, 545, *573*
cristata, 571
sacculata, Spionides, 561
Sacespalus, *396*
rugosiceps, *396*
Sactogaster, 351, *396*
pisi, 397
Saemundssonia, *83*, 84 (key), 93–97
brevicornis, 83, 84, 85, 88, *89*, 91, 94, 96
cephalosus, 84
hopkinsi, 83, 84, 85, *93*, 94
laticaudata, 84, 85, *88*, 89, 96
lobaticeps, 83, 84, 85, *92*, 93, 95, 97
lockleyi, 84, 85, *86*, 91, 94, 96
melanocephalus, 84, 85, *87*, 94, 96
meridiana, 83, 84, 85, *89*, 90, 91, 92, 94, 96
parvigenitalis, 83, 84, 85, 86, *87*, 94, 96, 98 (fig.)
peristicta, 90
petersi, 83, 84, 85, *90*, 91, 94, 96, 98 (fig.)
pustuliferus, 92
snyderi, 83, 85, 90, *91*, 92, 95, 97, 98 (fig.)
sternae, 84, *85*, 86, 87, 89, 90, 94, 96
vittata, 84
Saemundssonia (Mallophaga: Philopteridae), biting lice of the genus, occurring on terns, 83
sagax, Plastogryon, *359*
saitidis, Acoloides, *324*
Samytha, *573*
sexcirrata, 534, 545, *573*
sandvicensis, Thalasseus, 88
Thalasseus sandvicensis, 88
sarmentosa, Gorgonia, 215
sarsi, Antinoë, 537, 538, 539, 542, 546, 547
Harmothoë, 547
Maldane, 536, 544, *569*
Sartena, 520
Saurocetes argentinus, 114
saussurei, Bothriopria, *336*
scaldensis, Palaeoziphius, 131
Scalibregma, *565*
inflatum, 535, 538, 544, 546, *565*, 566
Scalibregmidae, 544, *565*
Scapopria, *397*
atriceps, *397*
Scatophaga stercoraria, 445
Sceliacantha, *397*
quadrispinosa, *397*
Sceliacanthella, *397*
parvipennis, *397*
Scelio, 347, *397*, 399
clavicornis, *402*
ruficornis, *386*
rugosulus, *397*
thoracicus, *347*
Scelioliria, *397*
mariae, *397*
Sceliomorpha, *397*
longicornis, *397*
Scelion, *397*
Scelionus, *397*
Sceliotrachelus, *397*
braunsi, *397*
Sceptroneis caduceus, 145
Schematommata, *76*
Schizodelphis, 101, 145
Schizogalesus, *398*
subg., *398*
Schizoporella, 303
perforata, 301
Schizopria, *398*
fallax, *398*
Schizosmittina, 277
Scione flexuosa, 574
Scirpearia, 214, 215
Scirpus sp., 429, 430
Scleractinia, 218
Scleraxonia, *208*, 211, 218
Sclerodomidae, 221, *253*
Sclerodomus, 254
Scolecolepis cirrata, 561, 562
Scololepis cirrata, 561
Scorpioteleia, *398*
mirabilis, *398*
scutellaris, Acoretus, *324*
Ceraphron, 356
Trichacoides, *404*
Scutigera sp., 445
Scyphodon, *398*
anomalum, *398*
sechellensis, Oreiscelio, *377*
secundus, Aulacites, *333*
seeversi, Bruesopria, *337*
selene, Vardhana, *408*
semaeoda, Eveniella, *353*
Semaeodogaster, 337, *398*
Semaeomya, *398*
Semaeomyia, *398*
kiefferi, *398*
Sembilanocera, *398*
clavata, *398*
Semenovius, 327, *399*
Semenowia, 327, *399*
semicyanea, Chromoteleia, *342*
semifascus, Conops brachyrhynchus, 180, 181
semiflaviventris, Phanuropsis, *384*
seminulum, Baeus, *335*, *360*
semiramis, Lapithoides, *363*
semirufa, Parevania, *331*
Paroxylabis, *382*
semistriatus, Teleas, *331*, *370*
Semonia, 70
Semperina, 208
sequax, Conops, 168
sera, Shreemana, *399*

serapis, Thelepte, *403*
Sergestidae, 1, *4*
Sergestinae, *4*
sericea, Evania, *402*
sericeicornis, Psilus, *340*
sericeus, Conops, 157, 160
Serlion, 397, *399*
Serphites, *399*
paradoxus, *399*
Serphus, 344, 383, 388, *399*
brachypterus, *399*
longicalcar, *344*
Serpulidae, 545, *578*
serraticeps, Chaetenteris, *341*
servillei, Acanalonia, 25, 37
setosa, Ampharete, 572
Chaetozone, 533, 534, 543, *562*
Sertularia sp., 227
sexcirrata, Samytha, 534, 545, *573*
seychellensis, Oriscelio, *377*
shannoni, Physoconops, *162*, 186
Shannonoconops, 161, 169, *172*
Shreemana, *399*
sera, *399*
Shrimps from the Marshall Islands, notes on, 1
Sialidae, 432
Sialis lutaria, 432
sibiricola, Aulacus, *327*, *399*
sibogae, Nikoides, *8*
sicarius, Metanopedias, *369*
Sicyonella, 4, 5 (fig.)
elegans, 4
inermis, 4, 5 (fig.)
maldivensis, *4*, 5 (fig.)
Sicyonia bispinosa, *2*, 3 (fig.)
Sicyoniinae, *2*
Sigalionidae, 542, *552*
simillima, Carthaea, 38
simulans, Anterus, 330
Sinaris, *399*, 401
sinuata, Colpoptera, 25
sinuosa, Smittia palmata, 309
Stomachetosella, 301
Siphonostoma inhabilis, 565
Siphonostomum asperum, 563
Sisyra, 422, 423, 425, 426, 427, 430, 432, 433, 434 (key), 437, 438, 439, 443 (key), 444, 445, 453, 454, *456*, 459 (key), 462, 480, 488, 518, 519, 520, 521, 523, 524
afra, 462
amissa, 523
apicalis, 423, 424, 425, 448 (fig.), 459, 460, 462, 467, *471*, 473 (fig.), 476, 478, 511, 518
aquavivai, 462
arndti, 434
aurorae, 462
bakeri, 462
brunnea, 462
brunnea rufistigma, 462
dalii, 434, 462, 471
disrupta, 524
esben-peterseni, 462
Sisyra, fuscata, 423, 424, 427, 428, 429, 430, 432, 433, 434, 435, 436, 437, 438, 442, 443, 444, 445, 447, 448 (fig.), 459, 460, 462, 464, 466 (fig.), 467, *468*, 473
fuscata nigripennis, 468
fuscatus, 427
indica, 434, 444, 462
jutlandica, 462
lampra, 486, 488
minuta, 423, 425, 453, 459, 460, 462, 469 (fig.), 476, *478*, 518, 519
morio, 468, 471
nigripennis, 468, 471
nocturna, 423, 425, 460, 473, *476*
ozenumana, 462
panama, 423, 425, 453, 454, 457, 460, 473, *474*, 475 (fig.), 518
punctata, 462
radialis, 462
relicta, 522, 523
terminalis, 427, 428, 429, 433, 442, 444, 447, 462, 471
turneri, 462
umbrata, 427, 429, 432, 434, 445, 460, 463, 464
vicaria, 423, 424, 427, 429, 430, 431 (fig.), 432, 433 (fig.), 434, 435 (key), 437, 438, 439, 440 (fig.), 441, 442 (fig.), 443, 444, 445, 447, 448 (fig.), 455 (fig.), 458 (fig.), 459 *460*, 462, 464, 466, 467 (fig.), 471, 473, 489
vigana, 462
yamamurai, 462
sp., 428, 434, 444, 462
Sisyrella, 422, 425, 426, 456, 462, *518*
japonica, 462, 519
nikkoana, 462, 519
Sisyridae, 421, 422, 423, 425, 426, 427, 444, *446*, 447, *456* (key), 521
Sisyridivora cavigena, 447
Sisyrina, 422, 426, 453, 454, 455, *517*
nirvana, 448 (fig.), *517*, 518
Sisyrinae, 423
Sisyrini, 423, 425
Sisyrinos, 425, 426
Smittia, 285
antarctica, 298
cribraria, 294
crozetensis, 278
graciosa, 301
inclusa, 293
jacobensis, 296
monacha, 296
ordinata, 298
palmata sinuosa, 309
purpurea, 289
reticulata, 313
smittiana, Smittina, 291, 292
Smittiidae, 276
Smittina, 277, 281, *285*, 287, 301, 304
abditavicularis, 279, *285*, 293
acaroensis, 305, 306, 307, 312
alticollarita, *287*, 291

Smittina, *canui*, 287, *289*, 303
evelinae, 305
excertaviculata, 291, *292*
glaciata, 307
landsborovii, 285, 289, 292, 304
landsborovii purpurea, 289
novanglia, 301
obicullata, *294*
oblongata, 291, *296*
ordinata, 291, 292, *298*, 302, 303
smittiana, 291, 292
sp., 267
Smittinella, 277, *301*, 303
rubrilingulata, *302*
Smittinidae, 221, 271, *276*, 277
Smittoidea, 276, 285, *304*
evelinae, *305*, 312
ornatipectoralis, 287, *307*, 311
ornatipectoralis brevior, *309*
prolifica, 304, 311, 312, 313
reticulata, *311*
snyderi, Decophorus, 91
Philopterus, 90
Saemundssonia, 83, 85, 90, *91*, 92, 95, 97, 98 (fig.)
sociabilis, Neuropria, *375*
sodalis, Auxopaedeutes, *334*
Solenopsia, *399*
imitatrix, *399*
Solenopsiella, *399*
distincta, *399*
solida, Corynopria, *351*
Solpinctes guadalupensis, 91
sordidus, Baryconus, *345*
soror, Conops, 157
sosis, Platygaster, 401
Sparaison, *400*
Sparasion, 336, 378, *400*
cephalotes, *400*
frontalis, *336*, *378*, 400
nigricoxa, *334*
spatulatus, Gastrotrypes, *355*
Sphaerella, *207*
Sphaerodoridae, 543, *559*
Sphaeordorum papillifer, 559
Sphaerosyllis, *555*
erinaceus, 532, 543, *555*
Sphenoconops, subg., 157, *159*, 160, 172
Sphex anomalipes, 357
appendigaster, *353*
Spilomicrus, 342, *400*
stigmaticalis, *400*
spilosomatis, Telenomus, *365*
spinifera, Passalida, *382*
spinosa, Lapitha, *363*
Parabetyla, *379*
spinosus, Baryconus, *388*
Spionidae, 543, *561* (key),
Spionides foliata, 561
sacculata, 561
spirillum, Spirorbis, 532, 536, 538, 539, 540, 545, 547, 579
Spirorbis, *578*
granulatus, 536, 545, 547, *578*
spirillum, 532, 536, 538, 539, 540, 545, 547, *579*
splendida, Mallateleioides, *367*
Pantolytoidea, *379*
Spongilla, 444
alba, 444
carteri, 444
fragilis, 427, 444
lacustris, 444
spongillae, Branchiotoma, 427, 468, 471
Spongilla-flies, with reference to those of the Western Hemisphere (Sisyridae, Neuroptera), 421
Spongillinae, 444
Spongiodermatinae, *208*
Squalodelphis fabianii, 104
Squalidon, 104
stebbingii, Athanas, 20
Stenopodidae, 1
stercoraria, Scatophaga, 445
Sterna acuflavida, 89
albifrons albifrons, 87
albifrons antillarum, 87, 92
anathetus melanoptera, 89, 90
antillarum antillarum, 87
aurantia, 93
cantiaca, 88
dougalli dougalli, 85, 86
fissipes, 92
forsteri, 83, 85, 86, 87, 88
fuliginosa, 90, 91
fuscata, 90
fuscata crissalis, 90, 91
fuscata fuscata, 83, 91
fuscata oahuensis, 90, 91
hirundo, 85, 86, 92
hirundo hirundo, 85, 86, 93
lunata, 91, 92
maxima, 88
minuta, 87
paradisaea, 86
vittata bethunei, 86, 87
vittata georgiae, 86
sternae, Pediculus, 85
Saemundssonia, 84, *85*, 86, 87, 89, 90, 94, 96
Stictoteleia, *400*
stigmatica, Electroteleia, *349*
stigmaticalis, Spilomicrus, *400*
stolidus, Anous, 91
Stomachetosella sinuosa, 301
strangaliophagus, Platystasius, *386*
Streptopria, *400*
rozieri, *400*
striata, Climacia, 423, 425, 484 (fig.), 485, 491, 494, 495, *499*, 502
striaticeps, Amblyscelio, *327*
Nyleta, *375*
striatifrons, Conops, 178
Odontoscelio, *376*
striatigena, Procacus, *388*
Psiloteleia, *394*

striatus, Aulacus, *334*
striolata, Diapria, *348*, *395*
Dorapria, *348*
striolatus, Anectadius, *327*
Apegusoneura, *331*
Platygaster, *387*
stroemii, Terebellides, 533, 534, 535, 537, 545, 547, *576*
Stylaclista, *400*
notabilis, *400*
Stylarioides papillata, 563
plumosa, 563
Stylatula, 217, 218
elongata, 217
Stylidodon, *400*
Stylidolon, *400*
politum, *400*
Stylochidae, *72*
Stylochus, 72
amphibolus, 77
oligoglenus, 77
Stylopria, *400*
rufa, *400*
Styloteleia, *400*
rufescens, *401*
subaptera, Probetyla, *388*
subapterus, Ecitonetes, *349*
Suberia, 208
clavaria, 208
köllikeri, 208
subtangens, Evania, 391
subterraneus, Microceraphron, *369*
subviridis, Discoplana, 76
Leptoplana, 76
succinea, Eunicea, 212
Gorgonia, 212
suffruticosa, Gorgonia, 212
sugens, Conops, 171
sulcata, Calliceras, *338*
Melosira, 145
sulcatum, Corallium, 210, 211
sulcatus, Calliceras, *357*
Ceraphron, *340*
superba, Archaebelyta, *332*
surinamensis, Chlidonias nigra, 92, 93
Hydrochelidon, 92
Susakia badiomaculata, 76
swinhoei, Protofoenus, *392*
Syllidae, 543, *555*
Sylvestris, Acanalonia viriditerminata, *38*, 42, 47 (fig.)
sylvosus, Conops, 175
Physoconops, 174, *175*, 186
Symphtopria, *401*
fulva, *401*
Synacra, 332, *401*
Synarsis, 399, *401*
pulla, *401*
synergorum, Fahringeria, *353*
Synopeas, 392, *401*
dactylidis, *392*
inermis, *401*
melampus, 401
prospectus, 401
Synopias, *401*
Synteleia, *401*
coracina, *401*
synthetica, Uroteleia, *408*
Syrgis, 28
syrphoides, Aconops, 174
Systenopora, 254
Szepligetella, *402*
szepligetii, Hyptiogaster, *333*

Tanyzonus, *402*
bolitophilae, *402*
tasmanicus, Mirobaeoides, *371*
tatei, Eschara, 301
Teleas, 321, *402*
phalaenarum, *390*
semistriatus, *331*, *370*
Telemonus, 321
Telenomoides, *402*
flavipes, *402*
Telenomus, 321, 365, 381, 390, *402*
bicolor, *381*
brachialis, *402*
charmus, 377
euschisti, 406
euschristus, 406
pennsylvanicus, *357*
spilosomatis, *365*
vibius, *326*
Teleus, 321
Telias, *402*
Telopsilus, *402*
Telospilus, *402*
temporalis, Odontopria, *376*
Tempsa, 28
tenebra, Climacia, 423, 425, 484, 485, 490 (fig.), 494, 500, *501*
tenuicornis, Holoteleia, *348*
Miotella, *370*
Odontopsilus, *376*
Psilomma, *394*
tenuipes, Athanas, 20
Terebella flexuosa, 574
Terebellidae, 545, *574*
Terebellides, *576*
stroemii, 533, 534, 535, 537, 545, 547, *576*
Terebratula sp., 279
terminalis, Sisyra, 427, 428, 429, 433, 442, 444, 447, 462, 471
termitarii, Leaiopria, *364*
Terns, biting lice of the genus Saemundssonia (Mallophaga: Philopteridae) occurring on, 83
testaceous, Ceranogmus, *340*
Tetrabaeus, *402*
Tetraconus, *402*
mocsáryi, *402*
Tetramopria, *403*
aurocincta, *403*
Tetrapsilus, *403*
filicornis, *403*
Tetrastichus sp., 447
Tetraulacinus, *403*

Thalamoplana, 66
Thalasseus bengalensis par, 88
bergi bergi, 88
bergi cristatus, 88
bergi velox, 88
eurygnatha, 88
maximus maximus, 88, 89
sandvicensis, 88
sandvicensis acuflavidus, 88, 89
sandvicensis sandvicensis, 88
Thalassocaridae, 1, *13*
Thalassocaris crinita, *13*, 14 (fig.)
Thaumatevania, *403*
ensifera, *403*
Thelepte, *403*
serapis, *403*
Thelepus, *575*
cincinnatus, 532, 534, 545, *575*
theobromae, Acanalonia, *41*, 42, 46 (fig.)
Therinopsilus, *403*
pubescens, *403*
Thionia, 24, 25, 28, *34*
argo, 25
borinquensis, 25, 36, 37
brevior, *37*, 42, 46 (fig.)
clusiae, *35*, 42, 45 (fig.)
laodice, *36*, 42, 45 (fig.), 42, 47 (fig.)
longipennis, 24
medusa, *35*, 37, 42, 45 (fig.)
musca, 34, 35, 36, 37
musca *grenadana*, *34*, 42, 46 (fig.)
musca musca, 35, 42, 46 (fig.)
ramosi, 25
ustulipunctata, 25
Thliboneura, *403*, 405
Thomsonina, *403*
thoracica, Oxypria, *377*
thoracicus, Scelio, *347*
Thoron, *404*
metallicus, *404*
thyone, Colpoptera, *29*, 41, 44 (fig.)
tibialis, Ceraphron, *356*
Evaniscus, *353*
tipulae, Ichneumon, *364*
tigrina, Discocelis, 70
timida, Barentsia, 224
Tiphodytes, 365, *404*
Tomoteleia, *404*
trifasciata, *404*
torridus, Tropaulacus, *407*
townesi, Climacia, 423, 425, 484, 486, *509*, 512 (fig.), 516
townsendi, Conops, 163
townsendii, Physoconops, 167, *170*, 186
Trachelopteron, *404*
angulipenne, *404*
trassosi, Physoconops, *168*, 185
Travisia, *566*
carnea, 566
forbesii, 534, 544, *566*
Tretosphys, *143*
gabbii, 140, *142*, *144*, 146, 148, 149, 152
trianguliferum, Gasteruption, *405*
Trichacis, *404*
Thrichacoides, *404*
scutellaris, *404*
Trichacolus, 330, *404*
Trichanteris, *404*
Trichasis, *404*
Trichasius, *405*
clavatus, *405*
Trichofoenus, *405*
Tricholeptacis, *405*
Trichopria, 332, 341, 377, 385, *405*
marylandica, 344
pentaplasta, *405*
Trichosteresis, 403, *405*
foersteri, 405
Trichoteleia, *405*
albidipes, *405*
Triclavus, *405*
bonariensis, *405*
trifasciata, Tomoteleia, *404*
trifoveata, Neopria, *374*
Trigonofoenus, *405*
Trimicrops, 320, *405*
claviger, *406*
Trimorus, 326, 358, 359, *406*
americanus, *392*
luteus, *346*
trinervis, Microporella, 287, 291
Triogmus, *406*
furcifer, *406*
Tripalea, *208*
clavaria, *208*
Triplatygaster, *406*
Trisacantha, 382, 390, *406*
americana, *406*
Trisinostemma, *406*
Trissacantha, *406*
Trissevania, *406*
anemotis, *406*
Trissolcus *406*
brachymenae, *406*
Trissoscelio, *407*
nigriceps, *407*
Triteleia, *407*
punctaticeps, *407*
tritici, Platygaster, *327*
Rosneta, *396*
tritoma, Rhynchopria, *395*
tritomus, Anopedias, 329
Tritopria, *407*
lusitanica, *407*
Tropaulacus, *407*
torridus, *407*
Trophonia aspera, 563
papillata, 563
plumosa, 563
Tropidobria, 345, *407*
Tropidomyia, 156
Tropidopria, 345, 374, *407*
erynniae, *374*
Tropidopsilus, *407*
laticeps, *407*
Tropidopsis, 374, *407*
clavata, *374*, *407*
tuberculata, Ommatoplana, 72, 74
tuberculatus, Mexistylochus, 74

tuberculosa, Euchone, 578
tuberculosum, Alcyonium, 207, 208
Lobularia, 207
tubuliforme, Pelecinopteron, *382*
tucumana, Aulatopria, *334*
turneri, Sisyra, 462
Type species of the genera and subgenera of parasitic wasps comprising the superfamily Proctotrupoidea (Order Hymenoptera), 319

Umbonella, 273
Umbonula, 272, *273*, 277
arctica, 273
dentata, 273
Umbonulidae, 221, 271, *272*
Umbonulidae and Smittinidae, families, 271
umbraculi, Prosactogaster, 391
umbraculum, Gorgonia, 215
Verrucella, 215
umbrata, Sisyra, 427, 429, 432, 434, 445, 460, 463, 464
undulatus, Actinoptychus, 144
Parascelio, *381*
unicolor, Evania, *353*
urbica, Hirundo, 85
urichi, Embidobia, *350*
Urocyclops, 380, *407*
Uroscelio, *408*
luteipes, *408*
Uroteleia, *408*
synthetica, *408*
ustulipunctata, Thionia, 25
Utricularia sp., 445

vanbenedeni, Diochoticus, 104
Vanhornia, *408*
eucnemidarum, *408*
Vardhana, *408*
selene, *408*
variicornis, Acidopria, *324*
varipes, Conops angustus, 182
Physoconops, *182*, 186
Vectevania, *408*
vetula, *408*
Verrucella umbraculum, 215
velox, Thalasseus bergi, 88
Conops, *160*, 185
veniprivus, Cyphacolus, *345*
ventralis, Cardiopria, *339*
Epimeces, *351*, *397*
ventricosa, Mucronella, 279
venustella, Duarina, *348*
verticillata, Diapria, *332*, 345
verticillatus, Amblyaspis, *405*
verus, Conops, *157*, 184
vesicularis, Conops, 157
vespiformis, Neuraulacinus, 374
vetula, Vectevania, *408*
vexillifer, Lipotes, 102, 119
vibius, Telenomus, *326*
vicaria, Sisyra, 423, 424, 427, 429, 430, 431 (fig.), 432, 433 (fig.), 434, 435 (key), 437, 438, 439, 440 (fig.), 441, 442 (fig.), 443, 444, 445, 447, 448 (fig.), 455 (fig.), 458 (fig.), 459, *460*, 462, 464, 466, 467 (fig.), 471, 473, 489
vicarius, Hemerobius, 460
Viennopria, *408*
priesneri, *408*
vigana, Sisyra, 462
villosa, Brada, 540, 544, 546, *564*
vinustus, Dinemus, 189, 190, 193, 194, 195, 200
virens, Alitta, 556
Neanthes, 556
Nereis, 539, 543, *556*
virginica, Polymixia nobilis, 190, 195, 199, 200
virginiensis, Anteris, 330
Macroteleia, *400*
Virgularia, 217
viriditerminata, Acanalonia, 23, 25, *38*
Acanalonia viriditerminata, 42, 47 (fig.)
Carthaea, 38
vitrimuralis, Cellaria, 228, *232*
vittata, Saemundssonia, 84
vulgaris, Rhopalopria, *395*

wahlbergi, Anaitis, 554
Paranaitis, 554
walkeri, Catillus, 340
Walkley, *see* Muesebeck and Walkley, 319
wandeli, Cellaria, 228, *236*
Ward, Ronald A.; Biting lice of the genus Saemundssonia (Mallophaga: Philopteridae) occurring on terns, 83
wasmanni, Phlolestoides, *384*
Wasps, parasitic, type species of the genera and subgenera of, comprising the superfamily Proctotrupoidea (Order Hymenoptera), 319
watersi, Cellarinella, 254
webbii, Nemobrama, 189, 193, 194
wellsi, Plumigorgia, *214*
westwoodii, Diphora, *346*
wheeleri, Galesimorpha, *354*
Worms, Marine polychaete, from Labrador, 531

xanthogaster, Acolus, 324, *393*
xanthopareus, Conops, 163, 170
Physoconops, 170
Xanthopria, *408*
opaca, *408*
Xenomerus, *408*
ergenna, *408*
Xenopria, *408*
columbiana, *408*
Xenoteleia, *408*
flavipennis, *408*

Xenotoma, *408*
nigricoxis, *409*
Xestonotidea, 334, *409*
foersteri, 409
Xestonotus, 321, 334, *409*
andriciphilus, *334*, *409*
refulgens, 409
Xyalopria, *409*
nigriceps, *409*

yamamurai, Sisyra, 462
yanii, *Ifalukella*, *213*

Zacranium, *409*
oahuense, *409*
Zacrita, *409*
longicornis, *409*
Zarhachis, 101, 145
Zelotypa, *409*
coloradensis, *409*
Zeuxevania, 393, *409*
zonata, Nereis, 535, 536, 537, 538, 539, 540, 541, 543, 546, 556, *557*
zotale, Romilius, *396*
Zygota, 403, *410*